



AirAccess[®]

by Alarm Lock



Now Available! AirAccess[®] The 1st revolutionarily-easy cellular-based access control system & ACaaS
Grow your business & bottomline faster than ever possible

- ✓ **Easiest to Install and Operate**, cloud-based access, wireless panels with standard readers &/or networked wireless locks
- ✓ **Easiest Connection** - Cellular communications makes direct connections for you, outside your customers' IT network (no ports to open or static IPs needed)
- ✓ **Easiest Setup** - Cloud-based software auto-learns network devices so it's simply plug & play
- ✓ **Easiest to Bid & Budget** - Flat monthly system fees, saves enduser accounts the need to devote resource to an on-premise access system - Lowest TCO - Wins more accounts

New AirAccess[®] System - Available at Your Distributor



Part No.

2 AirAccess Starter Kits

AA-KIT1A

AirAccess[®] Starter Kit 1 ①

AirAccess Starter Kit 1: Cellular Communicator w/ Transformer (AT&T Network); Gateway for Networking up to 63 Access Doors (w/ Trilogly Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers); AirAccess Cloud-based Software "Ready to Connect to". Cellular communicator, makes cell connections for you, outside the client network/server/firewall for easy setup. (*Requires monthly plan.)

AA-KIT2APOW

AirAccess[®] Starter Kit 2 ②

AirAccess Starter Kit 2: Same as above, but Cellular Communicator w/ Standby Battery Backup Power, in Locking Metal Enclosure (Note- Rechargeable 12V Battery sold separately.) (*Requires monthly plan.)

Part No.

AirAccess Dedicated Core Components

AA-GATEWAY

Gateway for Networking up to 63 Access Doors (supports Trilogly Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers), w/ Transformer & wire.

AA-GATEWAYPOE

Gateway as above, but Power Over Ethernet version, plus hardwire Gateway interface capability.

AA-GATEWAY-PW

Gateway for Networking up to 63 Access Doors (supports Trilogly Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers), w/ Transformer & wire. With power adapter

AA-LTEA

Additional Cellular Communicator w/ Transformer (AT&T Network) ABS, included in AA Starter Kit 1. Makes cell connections for you, outside the client network/server/firewall. Scalable system solution, just add additional radios for increased coverage; each supports up to 500 added users to the account and up to 378 doors (6 Gateways x 63 locks/panels max. per Gateway). (*Requires monthly plan.)

AA-LTEA-PW

Additional Cellular Communicator w/ Standby Battery Backup Power, in Locking Metal Enclosure (AT&T Network; Rechargeable 12V Battery sold separately.) Included in AA Starter Kit 2. Scalable system solution, just add additional radios for increased coverage; each supports up to 500 added users to the account and up to 378 doors (6 Gateways x 63 locks/panels max. per Gateway). (*Requires monthly plan.)

APP

AirAccess Mobile App w/ Credential. Available at Google Play and Apple Store for no-charge download. Multi-tier customizable privileges for dealer and account usage.

SOFTWARE

Free Cloud based software, included with each AirAccess Kit. No software to load. No local server required. Easy On-Screen Wizard Setup w/ Auto-Device Detection. (Included w/AA Starter Kits)



Part No.

AirAccess Kits & Components:

AA-KIT1A	1	AirAccess Starter Kit 1: Cellular Communicator w/ Transformer (AT&T Network); Gateway for Networking up to 63 Access Doors (w/ Trilogy Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers); AirAccess Cloud-based Software "Ready to Connect to". Cellular communicator, makes cell connections for you, outside the client network/server/firewall for easy setup. (*Requires monthly plan.)
AA-KIT2APOWER	2	AirAccess Starter Kit 2: Cellular Communicator w/ Standby Battery Backup Power, in Locking Metal Enclosure (AT&T Network) (Note- Rechargeable 12V Battery sold separately.) Gateway for Networking up to 63 Access Doors (w/ Trilogy Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers); AirAccess Cloud-based Software "Ready to Connect to". (*Requires monthly plan.)
AA-GATEWAY	3	Gateway for Networking up to 63 Access Doors (supports Trilogy Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers), w/ Transformer & wire.
AA-GATEWAYPOE	3	Gateway as above, but Power Over Ethernet version, plus hardwire Gateway interface capability.
AA-GATEWAY-PW		Gateway for Networking up to 63 Access Doors (supports Trilogy Network or ArchiTech Locks or NetworkPanel and Wiegand Prox Readers), w/ Transformer & wire. With power adapter
AA-LTEA	5	Additional Cellular Communicator w/ Transformer (AT&T Network) ABS, included in AA Starter Kit 1. Makes cell connections for you, outside the client network/server/firewall. Scalable system solution, just add additional radios for increased coverage; each supports up to 500 added users to the account and up to 378 doors (6 Gateways x 63 locks/panels max. per Gateway). (*Requires monthly plan.)
AA-LTEA-PW	6	Additional Cellular Communicator w/ Standby Battery Backup Power, in Locking Metal Enclosure (AT&T Network; Rechargeable 12V Battery sold separately.) Included in AA Starter Kit 2. Scalable system solution, just add additional radios for increased coverage; each supports up to 500 added users to the account and up to 378 doors (6 Gateways x 63 locks/panels max. per Gateway). (*Requires monthly plan.)
APP	7	AirAccess Mobile App w/ Credential. Available at Google Play and Apple Store for no-charge download. Multi-tier customizable privileges for dealer and account usage.
SOFTWARE	8	Free Cloud based software, included with each AirAccess Kit. No software to load. No local server required. Easy On-Screen Wizard Setup w/ Auto-Device Detection. (Included w/AA Starter Kits)
AL-IME2-EXP	4	Networkx Wireless Expander for expanded range use with AA-GATEWAYS above.
AL-IME2-EXP-POE	4	As above Networkx Wireless Expander, but Power Over Ethernet, plus hardwire Gateway interface capability. No AC power required

Networkx Wireless Panel for Adding Wiegand Reader Doors:

NETWORKXPANEL	9	Wireless Networkx Panel in locking metal enclosure for use with standard 26-63 bit format Wiegand readers; supports popular ID formats & AirAccess App credential. 1 Door/2 Reader (In/Out) & Door Position Switch. Supplied transformer plugs into AC power; rechargeable standby battery backup power (12V battery sold separately.).
----------------------	----------	---

Networkx Wireless PIN/Prox ID Locks

PDLN4100/26D		Networkx Cylindrical PIN/Prox Lock with Privacy Pushbutton on inner door, activated by occupant for a programmable duration
PDLN4500DB		Networkx Privacy PIN/Prox Lock above, but in Mortise format, Deadbolt version.
PDL6200	10	Cylindrical Trilogy Networkx PIN/Prox. wireless access control lock with built in Wiegand Prox Reader Fully distributed processing. Longest battery life. Door Position Switch/Request to Exit feature
PDL8200	10	As above, with iClass reader support
PDL6600CRL	11	Mortise Trilogy Networkx PIN/Prox. wireless access control lock with built in Wiegand Prox Reader and Door Position Switch/Request to Exit feature

For Comprehensive Benefits with AirAccess® Systems, choose Networkx and ArchiTech Models printed in blue, i.e., specifying with Door Position Switch and Request to Exit Features (DPS & REX). Any question contact your Alarm Lock Rep.

All pricing is list pricing shown in USD for standard trims and finishes. Always consult with technical documents and individual spec sheets on model specific features, options, inclusions, compliances etc. Some finishes and trims are not standardly available and will require varying lead-times or minimums consult factory for more. Preliminary specifications, not responsible for typographical errors. Changes may be made without prior notification. *AirAccess Communicator/Radios require a separate flat rate monthly subscription plan for which dealer/integrator/locksmiths will need to register one-time 24hrs in advance of installation see www.napcocomnet.com Introductory pricing valid June 15, 2021. © NAPCO



Part No.

Networkx Wireless PIN/Prox ID Locks & Lock-Trim for Panic Exits:

PDL8600CRL	11	As above, with iClass reader support
ETPDN-RX	14	Trilogy Networkx wireless access lock trim with built-in Wiegand Prox Reader Provides audit trail, keyless control, & scheduled dogging. Works with most RIM and IC RIM Cylinders & most panic exit device brands, Von Duprin, Sargent Cal Royal, Dorma, Arrow, Corbin, Marks USA, etc. Door Position Switch also w/ Request to Exit feature
ETPDNI-RX	14	As above, with iClass Reader support
PDL6500CRL	11	Mortise Trilogy Networkx PIN/Prox. wireless access control lock with built in Wiegand Prox Reader. Fully distributed processing. Longest battery life.
DL6500CRL		As above, with full-metal digital keypad only for PIN codes
PDL6300		Cylindrical Trilogy Networkx double-sided PIN/Prox. wireless access control lock with built in Wiegand Prox Reader. For controlled access on both sides of the door. Fully distributed Longest battery life.
PDL1300NW		Networkx narrow stile wireless access prox lock trim with built in Wiegand Prox Reader. Easily installs on most aluminum glass doors for keyless convenience; compatible with many leading panic devices (Von Duprin, Door-O-Matic, Jackson, Dorma, Arrow, DCI, Marks USA.) (Requires TP Kit sold separately.)
DL1300NW		As above, with full-metal digital keypad only
PDL1300NWET		Networkx narrow stile exit trim with built in Wiegand Prox Reader Provides audit trail, keyless control, and scheduled dogging. Works with most RIM and IC RIM Cylinders and most panic exit device brands, Von Duprin, Sargent Cal Royal, Dorma, Arrow, Corbin, Marks USA, etc.
DL1300NWET		As above, with full-metal digital keypad only for PIN codes
RR-4BKEYFOB	20	Optional Networkx/ArchiTech Keyfob 4-button for remote access control and/or lockdown for one of several Trilogy Networkx or ArchiTech Networkx Locks, see lock model for functions/support.
RR-1BUTTON		Optional Networkx/ArchiTech Keyfob 1-button for remote access control and/or lockdown for one of several Trilogy Networkx or ArchiTech Networkx Locks, see lock models for functions/support.

ArchiTech Designer Networkx Wireless Prox ID Locks:

Contact Alarm Lock Rep for ordering ArchiTech Models with Door-Position Monitoring

N90L11195F26D	12	Cylindrical ArchiTech surface mount wireless access control lock w/ built in oval-shaped prox ID reader. Square lever. Fully distributed processing, Long Battery life. Networked Lockdown and Apartment function. US26D finish. (Note: Add "W1" suffix for DPS/REX, upgrade charge applies).
N90L11295F26D		Cylindrical ArchiTech surface mount wireless access control lock w/ built in oval-shaped prox ID reader. Curved lever. Fully distributed processing, Long Battery life. Networked Lockdown and Apartment function. US26D finish. (Note: Add "W1" suffix for DPS/REX, upgrade charge applies)
N90S11195F26D		Cylindrical ArchiTech surface mount wireless access control lock w/ built in oval-shaped prox ID reader. Square lever. Fully distributed processing, Long Battery life. Apartment function. US26D finish. (Note: Add "W1" suffix for DPS/REX, upgrade charge applies).
N90S21195F26D		Cylindrical ArchiTech surface mount, with square Prox, square lever, Apartment function, 26D finish (Note: Add "W1" suffix for DPS/REX, upgrade charge applies).
N95S1RW92LAD32D	21	Mortise ArchiTech wireless access control lock w/ built in oval-shaped prox ID reader. Round rose, Square lever. Fully distributed processing, Long Battery life. Left-handed. Automatic Deadbolt function for monitored door position in AA system. US32D finish. (Similar to image shown.)
N95S1RW92RAD32D		Mortise ArchiTech wireless access control lock w/ built in oval-shaped prox ID reader. Round rose, Square lever. Fully distributed processing, Long Battery life. Right-handed. Automatic Deadbolt function for monitored door position in AA system. US32D finish.

For Comprehensive Benefits with AirAccess® Systems, choose Networkx and ArchiTech Models printed in blue, i.e., specifying with Door Position Switch and Request to Exit Features (DPS & REX). Any question contact your Alarm Lock Rep.

All pricing is list pricing shown in USD for standard trims and finishes. Always consult with technical documents and individual spec sheets on model specific features, options, inclusions, compliances etc. Some finishes and trims are not standardly available and will require varying lead-times or minimums consult factory for more. Preliminary specifications, not responsible for typographical errors. Changes may be made without prior notification. *AirAccess Communicator/Radios require a separate flat rate monthly subscription plan for which dealer/integrator/locksmiths will need to register one-time 24hrs in advance of installation see www.napcocomnet.com Introductory pricing valid June 15, 2021. © NAPCO



Part No.

ArchiTech Designer Networkx Wireless Prox ID Locks:

Contact Alarm Lock Rep for ordering ArchiTech Models with Door-Position Monitoring

N95S2RW92LAD32D 15	Mortise ArchiTech wireless access control lock w/ built in square-shaped prox ID reader. Round rose, Square lever. Fully distributed processing, Long Battery life. Left-handed. Automatic Deadbolt function for monitored door position in AA system . US32D finish. (Similar to image shown, trim & color varies.)
N95S2RW92RAD32D 15	Mortise ArchiTech wireless access control lock w/ built in square-shaped prox ID reader. Round rose, Square lever. Fully distributed processing, Long Battery life. Right-handed. Automatic Deadbolt function for monitored door position in AA system . US32D finish. (Similar to image shown, trim & color varies.)


ArchiTech Locks are customizable by finish, trim, reader-style and include options for mag stripe reader, keypad and more, shown. Build your own at www.DesignALock.com or Ask your Rep for More Info.

Alarm Lock Access Control Accessories

AL-500HA 16	Wiegand Proximity Reader, pyramid shape, mounts to single-gang box
AL-300HA 17	Wiegand Reader, as above, single piece, but mullion mount
AL-640HA	Wiegand Reader/Backlit Keypad Combination, Standard Pyramid Format. Single Piece, mounts to single gang box
AL-620HA	Wiegand Reader/Backlit Keypad Combination, as above but mullion mount
AL-ID1326/25 18	Prox/Access ID Cards 25 Count
AL-ID1326C 18	Prox/Access ID Cards 100 Count
AL-NSM 19	Optional Site Survey Tool for Alarm Lock Gateways, a signal meter to quickly identify optimal installation locations.
AL-NSG	Optional Gateway Simulator Tool, a portable battery powered Gateway simulation device that generates continuous Gateway radio signals to an NSM, above.

Prices shown are List Prices (USD) and all standard discount levels apply. For more on your pricing, AirAccess training or other info., including lead times on certain special order items or finishes herein, please ask your local Alarm Lock Sales Representative, Customer Service 1-800-ALA-LOCK or any friendly Alarm Lock Distributor Associate.

For Comprehensive Benefits with AirAccess® Systems, choose Networkx and ArchiTech Models printed in blue, i.e., specifying with Door Position Switch and Request to Exit Features (DPS & REX). Any question contact your Alarm Lock Rep.



ALARM LOCK Ask for more or a Demo on AirAccess Today
Call 1.800.ALA.LOCK or visit AirAccess.com or AlarmLock.com

A Division of Napco Security Technologies

AirAccess, Trilogy & Networkx are trademarks of the Alarm Lock Division of Napco Security Technologies. Preliminary specifications subject to change. Not responsible for revisions or errors. For Full Product Specs, see ALA537 AirAccess Brochure or individual Technical Docs for lock models & peripherals here. Any/All promotions/pricing (USD) non-combinable and subject to change without prior notice. ALA538 2021.6