

## Card Readers and Keypads



**NANOPB**  
Mini  
Card Reader



**STARPB**  
Multi-Technology  
Mullion Card Reader




**SOLARPB**  
Multi-Technology  
Card Reader



**SOLARKPB**  
Multi-Technology  
Card Reader and Keypad

## Proximity Cards and Tags



**CS**  
Standard Clamshell Card



**ISO**  
Printable ISO Card



**KTAG**  
Black Key Ring Tag




**DISCTAG**  
Mini PVC Adhesive Badge

## ATRIUM KITS

### A22KITB

#### 2-Door NANO Kit


- 1 x A22
- 2 x NANOPB (black mini proximity readers)
- 15 credentials  
(5 x CS, 5 x KTAG and 5 x DISCTAG)
- FREE Software



### A22POEKB

#### 2-Door NANO Kit

- 1 x A22POE
- 2 x NANOPB (black mini proximity readers)
- 15 credentials  
(5 x CS, 5 x KTAG and 5 x DISCTAG)
- FREE Software




*Elevate  
Your Expectations*



*The installer's choice*  
cdvi.ca

# Web-Based IP Controller

## POWER SUPPLY OPTIONS





# Elevate Your Expectations

ATRIUM 4.0 raises the bar in terms of door capacity, elevator management, ease of use, product integration and improved communications.

ATRIUM 4.0 increases door capacity from 10 IP connections in previous versions to 50 A22 door controllers connected directly to the network. Manage 500 doors with ease!

CDVI has elevated ATRIUM's ease of use by using the same A22 controller for doors or elevator cabs! Convert any A22 door controller to an A22EC elevator controller by simply updating the firmware for free. Once converted, an A22EC (Elevator Controller) can manage 256 floors.

An improved web interface adapts to any size phone, tablet or PC screen. Smooth and user-friendly navigation at your finger tips!

ATRIUM's ADH10 controller now fully integrates Schlage's new NDE wireless door handles.


A complete overhaul of the communication system has been done in ATRIUM 4.0. Communication speeds are 10 times faster than before!

CDVI engineers constantly work to simplify and improve every aspect of the ATRIUM system.

*ATRIUM elevates expectations once again!*



Main Features		
<b>NEW</b>	Door Capacity (50 controllers with IP connections)	<b>500</b>
<b>NEW</b>	NEW & Improved Embedded Web Server (Fits your smartphone or tablet screen)	✓
<b>NEW</b>	Smart Elevator Controller (Manage up to 256 floors)	✓
	<b>PoE+</b> PoE+ Option	✓
	Pre-assembled Universal Power Supply (No Transformer Required)	✓
	Auto-detect modules (No DIP Switch)	✓
	FREE Software	✓
	IP Camera Viewer	✓
	Email Notification	✓
	Intrusion Integration	✓



Supports any combination of 50 A22, A22-EC and/or ADH10 controllers (Manage up to 500 doors)