



KVS2011

SWITCH VIDEO KIT - MINI HF WI-FI. S2



SB2



KVS2011

SWITCH VIDEO KIT - MINI HF WI-FI. S2

KIT PRODUCTS



IX9150 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 1-2-3-4 BUTT.

MAIN FEATURES	
Height (inch) (mm)	236.7
Width (inch) (mm)	124
Depth (inch) (")	56



IX0101 SWITCH FRONT PLATE WITH 1 BUTTON

GENERAL DATA	
Type	Monoblock
Product height (inch) (mm)	262.7
Product width (inch) (mm)	150
Product depth (inch) (mm)	2.5
Product color	Steel
Material	Stainless steel AISI 316
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory



6741W MINI HANDSFREE WIFI MONITOR, S2

GENERAL DATA	
Product height (inch) (mm)	160



KVS2011

SWITCH VIDEO KIT - MINI HF WI-FI. S2

GENERAL DATA

Product width (inch) (mm)	115
Product depth (inch) (mm)	22
Product weight (oz) (g)	400
Product color	White RAL9003
Material	ABS
Wall-mounted	Yes
Desk base-mounted	Yes, with a dedicated accessory



1210 2-WIRE POWER SUPPLY UNIT

MAIN FEATURES

Supply voltage	110÷240
Applicable to DIN rail	Yes
Number of DIN modules (n°)	6
Max. current delivered (A)	1.2



1216 VIDEO RISER TERMINATION FOR SIMPLEBUS

MAIN FEATURES



1214/2C VIDEO FILTER FOR S2 SYSTEM

MAIN FEATURES

Height (inch) (mm)	25
--------------------	----



KVS2011

SWITCH VIDEO KIT - MINI HF WI-FI. S2

MAIN FEATURES

Width (inch) (mm)	32
Depth (inch) (")	25.5
Operating temperature (°F) (°C)	-10 ÷ 30