

**16/5 Flat Festoon Cable - 16 AWG 5-Connector Cable - 600V Rated - Yellow Jacket - Sold by Foot  
C-FEST-16-5-YLW**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



16/5 Flat Festoon Cable - 16 AWG 5-Connector Cable - 600V Rated - Yellow Jacket  
- Sold by Foot

Flat Festoon Cable (PVC) is designed for continuous flexing applications including festooning systems, cranes, hoists, track systems, conveyors & robots.

**Features:**

- Oil and chemical resistant
- UV resistant
- High flexibility
- Small bending radius
- Listed for indoor and outdoor use.
- 40°C to +105°C temperature rating

**Ratings:**

- UL Listed 600V Festoon Cable to NEC Article 400
- UL VW-1
- CSA certified
- ROHS Compliant

**Specs:**

- Jacket Material: PVC - Polyvinyl Chloride
- Jacket Color: Yellow
- Conductor Material: Bare Copper
- Wire Size: 16 AWG
- Number of Conductors: 5
- Stranding: 65/34
- Insulation Wall: 0.030"
- OD: 0.200" x 1.110"



---

Weight per Foot: 0.173 lbs  
Voltage Rating: 600V

Qty 1 = 1` of cable (specify number of feet below)



---

## Frequently Asked Questions (FAQ)



Links (Click on the below items to view):

- [HigResPic1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)