

**16/2 SOOW - 16 AWG 2-Connector Cable - 600V Rated - Industrial Service Cord**  
**C-SOOW-16-2**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



**16/2 SOOW - 16 AWG 2-Connector Cable - 600V Rated - Industrial Service Cord**

**Features:**

Manufactured with advanced synthetic rubber compounds  
-40°C to 90°C temperature extremes  
Exceptional flexibility  
Excellent resistance to flame, deformation, ozone, oils, acids and chemicals  
Oil resistant insulation and jacket  
Abrasion resistant  
Flexible in cold temperatures

**Ratings:**

UL Listed SOOW 600V to NEC Article 400  
CSA certified  
MSHA approved for flame resistance in mining applications  
ROHS Compliant

**Specs:**

Stranding: 26/30  
Insulation Wall: 0.030"  
OD: 0.390"  
Weight per 100': 9.4 lbs  
Amps: 13  
Color Code: Black, white  
Qty 1 = 1' of cable (specify number of feet below)



---

## Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [CE Certificate](#)
- [MSDS \(Material Safety Data Sheet\)](#)
- [Operations Manual](#)
- [RoHS Certificate \(Restriction of Hazardous Substances\)](#)
- [HigResPic1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)