

16/4 SOOW - 16 AWG 4-Connector Cable - 600V Rated - Industrial Service Cord
C-SOOW-16-4

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



16/4 SOOW - 16 AWG 4-Connector Cable - 600V Rated - Industrial Service Cord

Features:

Manufactured with advanced synthetic rubber compounds
-40°C to 90°C temperature extremes
Exceptional flexibility
Excellent resistance to flame, deformation, ozone, oils, acids and chemicals
Oil resistant insulation and jacket
Abrasion resistant
Flexible in cold temperatures

Ratings:

UL Listed SOOW 600V to NEC Article 400
CSA certified
MSHA approved for flame resistance in mining applications
ROHS Compliant

Specs:

Jacket Thickness: 0.080
Stranding: 26/30
Insulation Wall: 0.030"
OD: 0.420"
Weight per 1000': 115 lbs
Amps: 13
Color Code: Black, white, green
Qty 1 = 1' of cable (specify number of feet below)



Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [CE Certificate](#)
- [MSDS \(Material Safety Data Sheet\)](#)
- [RoHS Certificate \(Restriction of Hazardous Substances\)](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)