

---

**14/7 TC-ER - 14 AWG 7-Connector Cable - 600V Rated - Industrial Service Cord - Price Per Foot  
C-TCER-THHN2-14-7**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**

14/7 TC-ER - 14 AWG 7-Connector Cable - 600V Rated - Industrial Service Cord -  
Price Per Foot

Power, control, signal, communication and lighting circuits, For installation in cable trays in accordance with Article 336. Cable is approved for use in raceways, supported by messenger wire in open air, for direct burial applications, in Class I & II division 2 hazardous locations and for Class 1 circuits as permitted in Article 725.11(b). May be installed in both wet and dry locations or in areas exposed to chemicals and oils.

**Ratings:**

UL Listed 600V to NEC Article 400  
IEEE 383 70,000 BTU vertical tray flame test  
IEEE 1202 70,000 BTU flame test  
Insulated conductors pass VW-1 flame test  
ICEA-T-29-520 210,000 BTU flame test

**Specs:**

Jacket Thickness: 0.045  
Stranding: 26/30  
Insulation Wall: 0.030"  
OD: 0.505"  
Weight per 1000': 173 lbs  
Color Code: ICEA Method 1, E2 or E1

Qty 1 = 1' of cable (specify number of feet below)



---

## Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)