

5-Port Explosion Proof Conduit Box with Surface Mounting Tabs - T Junction Box EPJ-5-T-SFC

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Explosion Proof Conduit Box with Surface Mounting Tabs

Five total hubs.

One hub on each side and one hub on the back.

Surface mounting tabs for easy installation.

Copper-free aluminum body and cover provides resistance to corrosive atmospheres

External cover thread on body and smooth hub bushing helps to protect conductor insulation when pulling.

Covers and gaskets come furnished with these junction boxes as standard.

Electrostatically applied powder coated finish.

Safety certifications

Class I, Divisions 1 and 2 Groups B, C and D

Class I, Zone I Groups IIC, IIB, and IIA

Class II, Divisions 1 and 2 Groups E, F and G

Class III

NEMA 4X

Ambient Temp: -40°C to +163°C

Hub Sizes: 1/2" and 3/4"

Frequently Asked Questions (FAQ)





Options:

EPJ-5-T-SFC-Hub Config

Example: EPJ-5-T-SFC-05IN

Hub Config	
1/2 INCH	-05IN
3/4 INCH	-075IN

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)