

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



### EPL-AEP.Z-SS-20.16.10-N4X-BP Hazloc Purge Panel

Listing: NRTL Listed for United States, Canada, European Union, International

Internal Dimensions: 18.93"-H x 14.93"-W x 9.74"-D External Dimensions: 20"-H x 16"-W x 10"-D

Distance Between Mounting Lugs: 14.69", 18.69", 17.63", 21.63"- Depending on

Direction of Lug
Weight: 32 lbs
Maximum Power: 26W

System Type: Purge/pressurize System

Mechanical Resistance: Impact Energy 7 Nm

Ambient Temp: -20°C to +40°C Operating Temp: -20°C to +85°C

Cover Type: Hinge - Concealed, Removable Pins

External Ground Lug: Included

Backplate: Included

Body and Cover Material: 316 Stainless Steel

Gasket Material: One-piece High Temp Closed Cell Silicone

Mounting: Surface or Wall

Maximum Conduit/Gland Openings: 4" NPT (M100)

Custom Options (Not Included): Panel ID Tag 316 SS, Tamperproof Latches, Key Latches, Copper Ground/Earth Bars, Hubs (Size and Location), Glands, Backplate,

Terminals and More

#### **Ratings**

Class I, Division 2 Groups A,B,C,D Class I, Zones 1&2 Groups IIA,IIB,IIC

Class II, Groups E,F,G

Class III

ATEX/IECEx Rated Ex e IIC Gb, Ex i IIC Gb Ex tb IIIC Db IP66

Ex tb / Zone 21&22 AEx tb IIIC T80C /T100C/T130C Db IP66

Type 3, 4 & 4X

### **Special Orders- Requirements**

Contact us for special requirements

Phone: 1-214-616-6180

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The EPL-AEP.Z-SS-20.16.10-N4X-BP from Larson Electronics is a Hazardous Location Purge Panel that provides operators with a reliable way to hold and protect non-hazardous equipment in flammable environments. This IP66-rated purge/pressurize system is ideal for Class I, Division 2 sites, as well as ATEX/IECEx-rated environments and indoor or outdoor applications where flammable vapors, gases, or dusts exist or stand the potential to exist.

## \*PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO EXPLOSION PROOF ENCLOSURES\*

The EPL-AEP.Z-SS-20.16.10-N4X-BP offers protection for non-hazardous equipment in Class I, Division 2 and ATEX/IECEx rated combustible sites. Equipped with a hinged cover that is concealed and contains removable pins, this unit measures 20" x 16" x 10" (external dimensions). Internal dimension measurements are 18.93" x 14.93" x 9.74". The purge/pressurize system includes an external ground lug and backplate.

The heavy-duty purge system is constructed of 316 stainless steel, with 316 stainless steel hardware and a one-piece, high temperature silicone gasket. A



NEMA 4X waterproof rating indicates that the hazardous location device provides a degree of protection against the ingress of dust, dirt and fibers as well as resistance against the harmful and corrosive effects of water spray, sleet, snow and rain. This level of protection also prevents damage caused by the formation of ice. The IP66 rating associated with the unit offers complete dust tight protection and deters damage caused by powerful jets (12.5 mm nozzle) from all angles. The hazardous location stainless steel unit can be customized with the following components: panel ID (316 stainless steel), tamperproof latches, key latches, copper ground/earth bars, hubs (quantity/location), glands, backplates, terminals and more.

**Hubs:** This system features a maximum conduit opening of 4" NPT (M100). **Mounting:** The EPL-AEP.Z-SS-20.16.10-N4X-BP is compatible with surface or wall mounting applications via four bi-directional removal mounting lugs at the back of the unit.

**Applications:** Offshore rigs, sewage and wastewater treatment plants, coal plants, gas facilities, paper mills, grain facilities, marine sites, docks, pumping stations, food processing and any other sites where a hazardous location or ATEX-rated device is needed.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message <a href="mailto:sales@larsonelectronics.com">sales@larsonelectronics.com</a> for more information about our custom options tailored to meet your specific industry needs.



# **Frequently Asked Questions (FAQ)**



Links (Click on the below items to view):

- ISO 9001 Certification
- Business Certificate