
**Explosion Proof Tool Tap Reel - 25' 8/3 Cable Reel w/ 20A Explosion Proof Outlet - C1D1 Rated
EPLRT-25-8.3-1X20A-HR**

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



EPLRT-25-8.3-1X20A-HR Explosion Proof Cord Reel w/ Tool Tap

Unit Type: Explosion Proof Extension Cord w/ Reel

Dimensions: -

Voltage: 125V or 250V

Amp Rating: 20 Amps Continuous Service

Materials: Copper-free Aluminum, Iron

Finish: Triple-coat Zinc Electroplate, Chromate and Epoxy Powder Coat

Mount: Cord Reel

Wiring: 25' 8/3 SOOW Cord w/ 5-20P or 6-20P Cord Cap

Outlet: (1) 20A EXP

Ratings

Class I, Division 1 Rated
NEMA 9 and NEMA 4 (IP56)

Special Orders- Requirements

Contact us for special requirements

Phone: 1-214-616-6180

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com



Frequently Asked Questions (FAQ)

Options:

EPLRT-25-8.3-1X20A-HR-Voltage

Example: EPLRT-25-8.3-1X20A-HR-125V

Voltage	
125V	-125V
250V	-250V

Links (Click on the below items to view):

- [HigResPic1](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)