

---

**Explosion Proof Tool Tap Reel - 25' 8/3 Cable Reel w/ 30A Explosion Proof Outlet - C1D1 Rated  
EPLRT-25-8.3-1X30A-HR**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



---

**EPLRT-25-8.3-1X30A-HR Explosion Proof Cord Reel w/ Tool Tap**

**Unit Type:** Explosion Proof Extension Cord w/ Reel

**Dimensions:** -

**Voltage:** 125V or 250V

**Amp Rating:** 30 Amps Continuous Service

**Materials:** Copper-free Aluminum, Iron

**Finish:** Triple-coat Zinc Electroplate, Chromate and Epoxy Powder Coat

**Mount:** Cord Reel

**Wiring:** 25` 8/3 SOOW Cord w/ 5-30P or 6-30P Cord Cap

**Outlet:** (1) 30A EXP 3P2W

**Ratings**

Class I, Division 1 Rated  
NEMA 9 and NEMA 4 (IP56)

**Special Orders- Requirements**

Contact us for special requirements

**Phone:** 1-214-616-6180

**Toll Free:** 1-800-369-6671

**Fax:** 1-903-498-3364

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)



---

## Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [HigResPic1](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)