

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



EPLX-XX-RD2-118 Ceiling Mount Kit

Dimensions: 10" Diameter, 5" Thickness

Mounting: Ceiling/Flat Surface Mount Aluminum Bracket

Weight: 10lbs

Features

T-Handle Adjuster Screws

Easy Ceiling Mount

Aluminum Bracket

Aluminum Hardware

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: +1-214-616-6180

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EPLX-XX-RD2-118 Aluminum Ceiling Mount allows operators to securely install the EPLX-XX-DR2 Series of Explosion Proof LED Light Fixtures to the ceiling or any other flat surfaces.

Light sold separately.

The EPLX-XX-RD2-118 aluminum ceiling mount kit features an adjustable swivel bracket constructed of 3/8" aluminum. This stainless mounting bracket has four 3/8" predrilled holes, enabling operators to mount this explosion proof LED light to the ceiling or any other flat surface. The adjustable T handles are made of aluminum hardware.



Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)