

150A Explosion Proof Plug - Class I, II, III - 3W4P - NEMA Rated EPP-150A-3W4P-PS

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



EPP-150A-3W4P-PS Explosion Proof Plug

Listing: NRTL Listed for United States and Canada

Dimensions: 10.5"L x 4.25"OD

Weight: -

Voltage Rating: 600V AC

Amp Rating: 150A

Configuration: 3-wire, 4-pole

Mating Receptacle: EPP-150A-3W4P-CB.LS

Operating Temperature Rating: -

Materials: Copper-free Aluminum

Finish: Epoxy Powder Coating

Mount: -

Cable Diameter: .875-1.906 or 1.09-2.187

Wiring: -

Certifications - Compliance

Class I, Divisions 1&2, Groups C,D

Class II, Divisions 1&2, Groups F,G

Class III

NEMA 3, 3R, 4, 4X, 7 (C,D), 9, (F,G)

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-214-616-6180

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The Larson Electronics EPP-150A-3W4P-PS Explosion Proof Plug facilitates power connections in Class I, II and III rated facilities. This 150-amp unit is rated at 600V AC. The NEMA rated explosion proof male plug is constructed of copper-free aluminum and offers compatibility with the Larson Electronics EPP-150A-3W4P-CB.LS explosion proof receptacle.

The EPP-150A-3W4P-PS is an explosion proof plug for electrical connections in combustible work sites. This power accessory is rated at 600V AC and 150 amps. Compatible with the Larson Electronics EPP-150A-3W4P-CB.LS explosion proof receptacle, the explosion proof device contains a 3-wire 4-pole configuration. Cable diameter options include: .875-1.906 OD or 1.09-2.187 OD.

The explosion proof plug is constructed of copper-free aluminum with an epoxy powder coated finish. This NEMA-rated explosion proof device is suitable for use in Class I, II and III work sites (no Group B).

Inter-Compatibility: These plugs are cross-interchangeable with specific plugs and will work with the corresponding receptacles. Due to possible manufacturer changes we cannot guarantee interchangeability although we have made every effort to ensure cross compatibility correctness.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Motor-Generator Sets, Compressors, Wet areas or Locations Where Combustible Dust is Present.


At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power



accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)









Options:

EPP-150A-3W4P-PS-Cable Diameter

Example: EPP-150A-3W4P-PS-S1

| Cable Diameter | |
|----------------|-----|
| .875-1.906 OD | -S1 |
| 1.09-2.187 OD | -S2 |

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)