

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



---

**HBLP-1MLED-118 Ceiling Mount Kit**

**Dimensions:** 16" Diameter, 5" Thickness

**Mounting:** Ceiling/Flat Surface Mount Aluminum Bracket

**Weight:** 10lbs

**Junction Box:** 3/4" T Style - Explosion Proof

**Features**

T-Handle Adjuster Screws

Easy Ceiling Mount

EXP Junction Box included

---

**Special Orders- Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** +1-214-616-6180

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

**Made in the USA**

The Larson Electronics HBLP-1MLED-118 Ceiling Mount kit allows operators to securely install the HBLP-1MLED Explosion Proof high bay LED fixture to the ceiling or any other flat surfaces.

Light sold separately.

[Click Photo to Enlarge](#)

[Click Photo to Enlarge](#)

[Click Photo to Enlarge](#)

The HBLP-1MLED-118 ceiling mount kit features an adjustable swivel bracket

---

constructed of 3/8" aluminum. This aluminum mounting bracket has three 3/8" predrilled holes, enabling operators to mount this explosion proof LED light to the ceiling or any other flat surface. The wiring of the HBLP-1MLED-CLGM is terminated in flying leads within a copper free junction box, held in place with a cord grip. The flying leads allow the user to tap this Class 1 Division 1 LED light to the desired voltage during installation.

---

---

## Frequently Asked Questions (FAQ)

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)