

## LOCKNETICS

## Full line catalog

Electromagnetic locks, electric strikes and acessories

## Contents

#### Electromagnetic locks

WMG Series	4
MG Series	6
CS Series	8
MS Series	10
RS Series	12
Access control accessories	
Pushbuttons	15
Specialty switches	17
Digital keypads	18
Touchbars	19
Push plates	20
Emergency breaks	21
Door cords	22
Specialty sensor	
and buzzer switches	23
Limited product warranty	25
Allegion General Terms and	
Conditions of Sale and Service	26
Weight and case quantity chart	31

#### Customer Support

#### **Administrative Offices**

Allegion International AG (Dubai Branch) Bay Square, Building 7, Offices 202 & 203 Business Bay, Dubai, UAE

allegion.com/mea

#### Placing Orders for Direct Accounts

You can place orders with Allegion via the fax numbers or emails listed below: Email: ordersemea@allegion.com

#### **Customer Care**


Our Customer Care Representatives are available for questions or assistance for sales order support and <u>technical product support</u>.

Phone:+971 4 818 8999

#### **Technical Product Email Support**

Email:supportmea@allegion.com

## Electromagnetic locks and electric strikes



### WMG Series 600 and 1200 models



The WMG Series of weather resistant, surface electromagnetic locks are designed for high profile openings that require a tamper-resistant lock with an aesthetically pleasing appearance. A stainless steel housing, fire-rated epoxy seal, optional mounting bracket and an assortment of brackets enable the WMG Series to be used in a variety of applications. Designed for up to 600 lb. or 1200 lb. holding strength.

#### Features and benefits

- Stainless steel housing
- Sealed with fire-rated epoxy for weather and tamper-resistant applications
- Optional mounting plate for quick, simple installation
- Magnetic bond sensor included
- Built-in voltage spike suppressor
- Field selectable 12/24 VDC
- Suitable for outdoor use

#### Accessories

- Z bracket kit for inswing doors
- L bracket for narrow frame, outswing doors
- 1/2" and 5/8" filler plates

#### Specifications

- UL10C single door, listed
- UL294, listed
- UL1034, listed

#### Electrical

Dual voltage: 12 VDC @ 0.5A/24 VDC @ 0.25A 


#### Finishes



630/US32D Satin stainless steel

Specialty sensor

Warranty/Terms



WLBK600 L bracket




WLBK1200 L bracket






628/US28 Aluminum

#### Lock and armature dimensions



**WMG600** Lock: 8" x 1<sup>23</sup>/<sub>32</sub>" x 1<sup>9</sup>/<sub>16</sub>" (203mm x 43.5mm x 40mm)

Armature: 7 <sup>5</sup>/16" x 1 <sup>3</sup>/4" x <sup>9</sup>/16" (185mm x 45mm x 14mm)



WMG1200

Lock: 8 <sup>11</sup>/<sub>16</sub>" x 2 <sup>11</sup>/<sub>16</sub>" x 1 <sup>5</sup>/<sub>8</sub>" (220mm x 68mm x 42mm)

**Armature:** 7 <sup>1</sup>/<sub>4</sub>" x 1 <sup>3</sup>/<sub>8</sub>" x <sup>5</sup>/<sub>8</sub>" (185mm x 61mm x 16mm)

#### WMG Series list prices

Product name	Product description	Finish	Voltage	UPC
WMG600	Weatherproof maglock - 600lb	630/US32D	12/24 VDC	043156646098
WZBK600	Z-bracket - 600lb	628/US28	N/A	043156646104
WLBK600	L-bracket - 600lb	628/US28	N/A	043156646111
WMG1200	Weatherproof maglock - 1200lb	630/US32D	12/24 VDC	043156646142
WZBK1200	Z-bracket - 1200lb	628/US28	N/A	043156646159
WLBK1200	L-bracket - 1200lb	628/US28	N/A	043156646166
WFP50	1/2" Filler plate	628/US28	N/A	043156646128
WFP63	<sup>5</sup> /8" Filler plate	628/US28	N/A	043156646135

## MG Series 600 and 1200 models

WMG Series

**MG Series** 

**CS** Series

**MS Series** 

**RS Series** 

Pushbuttons

Specialty switches/

**Digital keypads** 

**Push plates** Touchbars/

Emergency breaks/

Door cords



The MG Series of surface mount electromagnetic locks provides a cost competitive, slim profile and dependable solution for a variety of applications. Designed for up to 600 lb. or 1200 lb. holding strength.

#### Features and benefits

- Bi-colored LED bond sensor provides easy lock status identification
- Adjustable mounting plate for quick, simple installation
- Removable PCB for easy installation
- Built-in voltage spike suppressor
- Field selectable 12/24 VDC

#### Options (DT models only)

- Timer to provide a 0-90 second dealy for locking
- Door status sensor S.P.D.T. switch to determine if door is open or closed

#### **Brackets**

L bracket



- U bracket for glass door
- Z bracket for inswing doors
- L bracket for narrow frame and outswing doors
- 1/2" and 5/8" filler plates

#### Specifications

- UL10C single door, listed
- UL294. listed
- Indoor use only

MLBK1200

MZBK1200

Z bracket

L bracket

#### Electrical

 Dual voltage: 12 VDC @ 0.5A/24 VDC @ 0.25A

#### **Finishes**



MUBK

U bracket

630/US32D Satin stainless steel

**Finishes** 

628/US28 Aluminum



MZBK600 Z bracket

and buzzer switches **Specialty sensor** 

MG Series 600 and 1200 models

#### **Filler plates**



MFP50 and MFP63

#### Finishes



Aluminum

#### Lock and armature dimensions

#### MG600

Lock: 9<sup>7</sup>/<sub>8</sub>" x 1<sup>7</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>16</sub>" (250mm x 47.2mm x 26.5mm)

Armature: 7 5/16" x 1 1/2" x 1/2" (185mm x 38mm x 12.5mm)

#### MG1200

Lock: 10 <sup>1</sup>/<sub>2</sub>" x 2 <sup>7</sup>/<sub>8</sub>" x 1 <sup>1</sup>/<sub>2</sub>" (266mm x 73mm x 40mm)

 1 1/2" x 1/2"
 Armature: 7 1/3" x 2 2/5" x 3/5"

 x 12.5mm)
 (185mm x 61mm x 16mm)

#### MG Series list price

Product description	Finish	Voltage	UPC
Maglock - Standard 600lb	630/US32D	12/24 VDC	043156646173
Maglock - Monitored 600lb	630/US32D	12/24 VDC	043156646180
Z-bracket - 600lb	628/US28	N/A	043156646197
U-bracket - 600lb/1200lb, adjustable	628/US28	N/A	043156646203
L-bracket - 600lb	628/US28	N/A	043156646210
Maglock - Standard 1200lb	630/US32D	12/24 VDC	043156646241
Maglock - Monitored 1200lb	630/US32D	12/24 VDC	043156646258
Z-bracket - 1200lb	628/US28	N/A	043156646265
L-bracket - 1200lb	628/US28	N/A	043156646289
1/2" Filler plate	628/US28	N/A	043156646234
<sup>5</sup> /8" Filler plate	628/US28	N/A	043156646227
	Maglock - Standard 600lb Maglock - Monitored 600lb Z-bracket - 600lb/1200lb, adjustable L-bracket - 600lb/1200lb, adjustable L-bracket - 600lb Maglock - Standard 1200lb Maglock - Monitored 1200lb Z-bracket - 1200lb L-bracket - 1200lb	Maglock - Standard 600lb         630/US32D           Maglock - Monitored 600lb         630/US32D           Z-bracket - 600lb         628/US28           U-bracket - 600lb/1200lb, adjustable         628/US28           L-bracket - 600lb         628/US28           Maglock - Standard 1200lb         630/US32D           Maglock - Monitored 1200lb         630/US32D           Z-bracket - 1200lb         628/US28           L-bracket - 1200lb         628/US28           L-bracket - 1200lb         628/US28           L-bracket - 1200lb         628/US28	Maglock - Standard 600lb         630/US32D         12/24 VDC           Maglock - Monitored 600lb         630/US32D         12/24 VDC           Z-bracket - 600lb         628/US28         N/A           U-bracket - 600lb/1200lb, adjustable         628/US28         N/A           L-bracket - 600lb         628/US28         N/A           Maglock - Standard 1200lb         630/US32D         12/24 VDC           Maglock - Standard 1200lb         630/US32D         12/24 VDC           Maglock - Monitored 1200lb         630/US32D         12/24 VDC           Z-bracket - 1200lb         628/US28         N/A           L-bracket - 1200lb         628/US28         N/A           V/2" Filler plate         628/US28         N/A

**Digital keypads** 

**Push plates** 

Emergency breaks/

Door cords

Specialty sensor and buzzer switches

### CS Series 450 and 750 models

The low, versatile profile CS Series of electric strikes are designed for use with cylindrical locksets and select mortise locksets without deadbolt for both metal and wood door frames.

#### Features and benefits

- Low profile
- Field selectable fail-safe and fail-secure (fail-secure default), with simple and easy screw reversal
- Included trim piece for installation flexibility and improved appearance
- Mounting tabs included for aluminum frame installation
- Two faceplates included: Radius and square edge stainless steel (4 7/8" x 1 1/4")
- Field selectable 12/24 VDC
- Voltage spike suppressor included
- Suitable for rain or dust environment

#### Options

- CS450 Series accepts latch bolt up to <sup>9</sup>/<sub>16</sub>"
- CS750 Series accepts latch bolt up to <sup>3</sup>/<sub>4</sub>"
- Latch bolt monitoring available

#### Accessories

- Buzzer rectifier with timer (TBR-100)
- Faceplates kits in 613/US10B finish
- 7<sup>15</sup>/<sub>16</sub> x 1<sup>7</sup>/<sub>16</sub> radius edge, stainless steel faceplate kits for wood applications

- 1" (25mm) lip extension
- 2" (50mm) lip extension

#### Specifications

- UL1034 Burglar-resistant electric locking mechanisms, listed
- UL294 (indoor), listed
- Static strength of 1500 lb. static load, UL certified
- Dynamic strength of 70 ft.-lb. dynamic load, UL certified
- 250,000 cycles endurance, UL certified\*

#### Electrical

Dual Voltage: 12VDC @ 0.3A/24VDC @ 0.15A

\*LBM models UL certified to 100,000 cycles.



#### Faceplate kit and trim piece





Finish - faceplates






630/US32D Satin stainless steel

613/US10B Dark bronze

#### Strike and accessory dimensions



CS450/CS750  $3^{3}/8^{"} \times 1^{11}/16^{"} \times 1^{3}/16^{"}$ (85.5mm x 43.5mm x 29.5mm)

**CS** Series list price **Product name** 


CS450-32D

CS750-32D

CS450-LBM-32D

CS750-LBM-32D

CSFP-KIT-10B



#### CSFP-kit

 $1^{1}/_{4}$  x  $1/_{8}$  x 4  $7/_{8}$ (31.75mm x 3mm x 124mm)

#### **CWFP-kit**

**Product description** 

E-strike - 9/16" deep w/LBM

E-strike - 3/4" deep w/LBM

US10B faceplates - Qty 2; Square

E-strike - 9/16" deep

E-strike - 3/4" deep

1<sup>7</sup>/16" x <sup>1</sup>/8" x 7 <sup>15</sup>/16" (36.5mm x 3mm x 201.6mm)

Finish


630/US32D

630/US32D

630/US32D

630/US32D

613/US10B



UPC

043156645893

043156645909

043156645961

043156645978

043156645916

Voltage

12/24 VDC

12/24 VDC

12/24 VDC

12/24 VDC

N/A

push plates Touchbars/

WMG Series

**MG** Series

**CS** Series

**MS** Series

**RS** Series

Pushbuttons

Specialty switches/

digital keypads

## Warranty/Terms and conditions

and radius corner  $(47/_8" \times 11/_4")$ CWFP-KIT-10B 613/US10B N/A 043156645930 US10B radius corner faceplate (7<sup>15</sup>/<sub>16</sub>" x 1<sup>7</sup>/<sub>16</sub>") wood applications CWFP-KIT-32D US32D radius corner faceplate 630/US32D N/A 043156645923 (7<sup>15</sup>/<sub>16</sub>" x 1<sup>7</sup>/<sub>16</sub>") wood applications CSLE-1 1" lip extension N/A N/A 043156645947 CSLE-2 2" lip extension N/A N/A 043156645954 TBR-100 Timer-buzzer rectifier with surge protection for N/A N/A 043156651740 strikes and other access control components

**Digital keypads** 

**Push plates** 

Door cords

Specialty sensor and buzzer switches

## MS Series

The MS100 Series electric strike is designed for use with heavy duty mortise locksets and cylindrical locksets. Five different faceplates included for optional flexibility of installation in wood or metal frames.

#### Features and benefits

- Heavy duty design with vertical adjustments for flexibility
- Field selectable fail-safe and fail-secure (fail-secure default), with simple and easy screw reversal on non-fire rated models
- Included trim piece for installation flexibility and improved appearance
- Mounting tabs included for aluminum frame installation on non-fire rated doors in non-fire rated applications
- Five stainless steel faceplates included for optional flexibility (4 <sup>7</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>4</sub>" with differing cutouts)
- Field selectable 12/24 VDC
- Built-in voltage spike suppressor included
- Suitable for rain or dust environment

#### Options

- Fire rating
- Latch bolt monitoring

#### Accessories

- Buzzer rectifier with timer (TBR-100)
- Faceplate kit in 613/US10B finish

#### Specifications

- UL1034 burglary-resistant electric locking mechanisms, listed
- UL294 (indoor), listed
- Static strength of 1500 lb. static load, UL certified
- Dynamic strength of 70ft.-lb. dynamic load, UL certified
- UL10C Fire rated, listed MS100-F models only
- 250,000 cycles endurance, UL certified

#### Electrical


Dual-voltage 12 VDC @ .3A/24 VDC @ .15A




#### Faceplate kit and trim piece



#### Strike and accessory dimensions





**Deadbolt latch faceplate** 







630/US32D Satin stainless steel

| 9/16" (40mm

9/16" (40mm)

4 7/8 (124mm)

613/US10B Dark bronze

11/16" (18mm)

2 13/16" (72mm)

4 7/8" (124mm)


1 1/4" (32mm)

1 5/16" (34mm)

Ο

1 1/4" (32mm)

4 7/8" (124mm)



11 · Locknetics · Full line catalog

#### **MS100** (excluding faceplate)

3 <sup>5</sup>/<sub>16</sub>" x 1 <sup>5</sup>/<sub>8</sub>" x 1 <sup>13</sup>/<sub>16</sub>" (84.5mm x 41.5mm x 46.7mm)

#### **MS Series list prices**

Product name	Product description	Finish	Voltage	UPC
MS100-32D	E-strike - 1" deep; 5 faceplates	630/US32D	12/24 VDC	043156645985
MS100-F-32D	E-strike - 1" deep; 5 faceplates (Fire-rated)	630/US32D	12/24 VDC	043156646074
MS100-LBM-32D	E-strike - 1" deep; 5 faceplates with LBM	630/US32D	12/24 VDC	043156645992
MS100-F-LBM-32D	E-strike - 1" deep; 5 faceplates with LBM (Fire-rated)	630/US32D	12/24 VDC	043156646081
MSFP-KIT-10B	5 piece extra faceplate kit	613/US10B	N/A	043156646005
TBR-100	Timer-buzzer rectifier with surge protection for strikes and other access control components	N/A	N/A	043156651740

#### Latchbolt faceplate

Door cords

**MG** Series

**CS** Series

**MS** Series

**RS** Series

Pushbuttons

## **RS** Series 200 and 300 models

The RS Series of surface mounted electric rim strikes are designed with endurance and flexibility. Available to accommodate rim exit devices with a  $\frac{1}{2}$ " or  $\frac{3}{4}$ " throw pullman latchbolt and multiple spacers are included for superior installation. Four attachment points to the frame provide for extra durability.

#### Features and benefits

- Surface mounted for easy installation
- Slotted mounting holes for increased adjustment flexibility
- Multiple spacers included for easy installation
- Sleek cover case design
- Field selectable fail-safe and fail-secure (fail-secure default), with simple and easy screw position change, non-fire rated models
- Field selectable 12/24 VDC
- Built-in voltage spike suppressor
- Suitable for rain or dust environments

#### Options

- RS200 Series accepts 1/2" throw pullman latchbolt
- RS300 Series accepts 3/4" throw pullman latchbolt
- Offered in both 630/US32D and 613/US10B finishes
- RS300 available in fire rated version

#### Accessories

Buzzer rectifier with timer (TBR-100)

#### Specifications

- UL1034 Burglary-resistant electric locking mechanisms, listed
- UL294 (indoor), listed
- UL10C Fire Rated, 90 min. RS300-F models only
- Static strength of 1500 lb. static load, UL certified
- Dynamic strength of 70 ft.-lb. dynamic load, UL certified
- 250,000 cycles endurance, UL certified

#### Electrical

 Dual-voltage 12 VDC @ .54A / 24 VDC @ .27A

#### **Finishes**



630/US32D Satin stainless steel Dark bronze

613/US10B



Emergency breaks/

Door cords


and buzzer switches

Specialty sensor

**RS** Series 200 and 300 models

#### Spacers


Included with strike






RS300

#### Strike dimensions



**RS200** 9" x 1 <sup>3</sup>/<sub>4</sub>" x <sup>1</sup>/<sub>2</sub>" (229mm x 44.5mm x 13mm)



RS300 9" x 1 <sup>3</sup>/<sub>4</sub>" x <sup>3</sup>/<sub>4</sub>" (229mm x 44.5mm x 19mm)


#### **RS Series list prices**

Product name	Product description	Finish	Voltage	UPC
RS200-32D	Rim strike - $1/2$ "; Depth with spacers	630/US32D	12/24 VDC	043156646029
RS200-10B	Rim strike - $1/2$ "; Depth with spacers	613/US10B	12/24 VDC	043156646036
RS300-32D	Rim strike - 3/4"; Depth with spacers	630/US32D	12/24 VDC	043156646050
RS300-10B	Rim strike - 3/4"; Depth with spacers	613/US10B	12/24 VDC	043156646067
RS300-F-32D	Fire rated rim strike - 3/4"; Depth with spacers	630/US32D	12/24 VDC	043156001552
RS300-F-10B	Fire rated rim strike - 3/4"; Depth with spacers	613/US10B	12/24 VDC	043156001569

Pushbuttons

Door cords

## Access control accessories




## Pushbuttons

## Pushbuttons

#### Illuminated pushbuttons

The push to exit button series combines the most popular buttons in one box. The IPB Series is packaged with multiple lense options and switches for flexibility.

#### IPB-100, IPB-100-N



#### Features and benefits

- LED illuminated push button
- 12/24 VDC, switch contact rated @ 5A /125 VAC
- Includes 3 lenses: Red/Green "Push to Exit"; Blue Handicap logo
- 2" square push button on single gang plate; 1<sup>1</sup>/<sub>2</sub>" square push button on narrow stile plate
- Switch mounted on stainless steel single gang or narrow stile plate
- Momentary action switch
- SPDT and DPDT switches included

#### IPB-300, IPB-300-N



#### Features and benefits

- LED illuminated mushroom-style round push button
- Red and green lenses included
- 12/24 VDC, SPDT switch contact rated @ 5A/125VAC
- Single gang and narrow stile plate available
- Ideal for request-to-exit applications to release electromagnetic locks
- Fits standard stainless steel single gang surface or recessed electrical boxes (except narrow stile switches)
- Narrow stile model includes narrow black plastic electrical box

WMG Series

**MG Series** 

**CS** Series

**MS Series** 

**RS** Series

Pushbuttons

Specialty switches/ **Digital keypads** 

#### Metal pushbuttons

The metal push to exit button provides increased security with a durable and stylish appearance.

#### MPB-100, MPB-100-N

0

PUSH

Ô

TO

8

0

PUSH

8

3

TO

9

#### **Features and benefits**

- Vandal resistant brass nickel plated push button .
- . Labeled "PUSH TO EXIT"
- Momentary action switch .
- 12/24 VDC, SPDT switch contact rated @ 5A/125VAC .
- Aluminum single gang and narrow stile plate available

#### Options

Product name	Product description	UPC
IPB-100	LED illuminated 2" button; 3 lenses; SPDT and DPDT switches included	043156651351
IPB-100-N	LED illuminated 2" button; 3 lenses; SPDT and DPDT switches included; Narrow plate	043156001644
IPB-300	LED illuminated mushroom style round button; 2 lenses; SPDT switch	043156651375
IPB-300-N	LED illuminated mushroom style round button; 2 lenses; SPDT switch; Narrow plate	043156651382
MPB-100	Metal button; 'Push to Exit'; SPDT switch	043156651405
MPB-100-N	Metal button; 'Push to Exit'; SPDT switch; Narrow plate	043156651399

# eries Pushbuttons S

Warranty/Terms and conditions

## Specialty switches

#### Touch sense

The touch sense is a cap sense style switch. There is no movable action in the switch, but instead only a touch is required to operate it. The illuminated bi-color LED provides easy status indication.

#### TS-100, TS-100-N




#### **Features and benefits**

- Dual LED (Red/Green) indicates inactive/active status
- 12/24 VDC, SPDT switch contacts rated @ 2A/30VAC
- Programmable timer output 1-40 sec, adjustable
- Available in stainless steel single gang or narrow stile plate
- Narrow stile model includes narrow black plastic electrical box

#### Wave sense

The touchless wave sense series is ideal for request-to-exit situations where a sanitary environment is desired such as healthcare facilities, restaurants, restrooms or labs.

#### WS-200, WS-200-MB



#### **Features and benefits**

- Infrared sensor technology for no contact switch activation
- Sensor detection range up to approximately 4"
- Dual LED (Red/Green) indicates inactive/active status
- Time delay settable for 0.5, 5, 10 or 20 seconds
- 12/24 VDC, SPDT switch contacts rated @ 2A/30VAC
- Single gang stainless steel, weather resistant and vandal resistant faceplate
- Operating temperature range is -10° F to +130° F
- Available in flush or surface mount with metal box

#### TS Series/WS Series list prices

Product name	Product description	UPC
TS-100	Dual LED status indicator with programmable timer; SPDT switch	043156651498
TS-100-N	Dual LED status indicator with programmable timer; SPDT switch; Narrow plate	043156651504
WS-200	Touchless infrared sensor switch activation with dual LDE and time delay; SPDT switch	043156651511
WS-200-MB	Touchless infrared sensor switch activation with dual LDE and time delay; SPDT switch; Metal box included	043156651528

## Digital keypads

#### Digital keypads

The DKP Series keypads are designed for simple access control or code control for up to four individual devices. These keypads are a great choice for controlling electric strikes, electromagnetic locks, security systems or other types of openings requiring on/off or momentary control outputs.

#### DKP-165, DKP-165-S and DKP-165-FM





#### **Features and benefits**

- Fully programmable with up to 480 users with 1 to 6 digit user codes
- Keys are backlit for visibility in dark areas with audible and visual key . press feedback
- 12/24 VDC, switch contacts rated @ 2A/30VAC/VDC .
- Multi-colored LEDs indicate the state of the keypad .
- Timed anti-pass back
- 302 stainless steel gang plate
- Operating temperature range is -10° F to +130° F
- Available in surface mount (DKP-165-S) or flush . mount (DKP-165-FM)
- Tamper resistant screws included for faceplate (DKP-165 S only)
- Designed for indoor use (DKP-165)

#### Dimensions

#### **DKP-165**

4<sup>3</sup>/<sub>4</sub>" x 3" x 1<sup>3</sup>/<sub>8</sub>" (120mm x 76mm x 34.9mm)

#### **DKP-165-S**

4<sup>15</sup>/<sub>16</sub>" x 4<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>" (125mm x 105mm x 60mm)

#### **DKP-165-FM** 4<sup>3</sup>/<sub>4</sub>" x 3<sup>15</sup>/<sub>16</sub>" x 1<sup>1</sup>/<sub>2</sub>"

(120mm x 100mm x 37.4mm)

Product name	Product description	UPC
DKP-165	Indoor digital keypad; Up to 480 users weith timed anti-pass back	043156651634
DKP-165-S	Digital keypad; Surface mount with case; Up to 480 users with timed anti-pass back	043156651641
DK-165-FM	Digital keypad; Flush mount; Up to 480 users with timed anti-pass back	043156651658

**Digital keypads** 

**Push plates** 

WMG Series

**MG Series** 

**CS** Series

**MS Series** 

**RS Series** 

## es Pushbuttons Sp

## Emergency breaks/ Door cords

### Touchbars

#### Touchbar

The touchbar is a request to exit device, usually installed as a redundancy to other access control devices for non-fire rated indoor doors.

#### TB-36, TB-42, TB-48



#### Features and benefits

- Low operating force, minimal bar travel
- Non-latching
- 12/24 VDC, includes two SPDT switches for positive redundant operation
- Field reversible and easily installed on all types of doors
- Heavy duty clear anodized satin aluminum construction
- Includes 'Push to Exit' sticker
- Available in three lengths 36", 42" and 48"
- Available in 628/US28 Aluminum finish

#### **TB Series list prices**

Product name	Product description	Finish	UPC
TB-36	Touchbar - 36" door	628/US28	043156651467
TB-42	Touchbar - 42" door	628/US28	043156651474
TB-48	Touchbar - 48" door	628/US28	043156651481

## Push plates

#### Push plates

The PPH Series of push plates are dependable, responsive and easy to install stainless steel switches. These assisted door controls are ideal for a broad range of door automation.

#### PPH-100-PL, PPH-100-AL, PPH-200-LED, PPH-50







#### **Features and benefits**

- . Stainless steel faceplate with engraved text and anodized finish
- Tamper resistant mounting .
- Designed for use in high traffic areas
- Mounts on a standard double gang electrical box, except PPH-50
- Red/Blue LED ring available (PPH-200-LED)

#### **PPH-100-PL** DPDT switch contacts rated 15A @ 125 or 250 VAC

5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>" - Includes box (130mm x 130mm x 70mm)

#### PPH-100-AL

DPDT switch contacts rated 5A @ 125 or 250 VAC

4<sup>1</sup>/<sub>2</sub>" x 4<sup>1</sup>/<sub>2</sub>" x 2<sup>3</sup>/<sub>4</sub>" - includes box (115mm x 115mm x 69.5mm)

#### PPH-200-LED

SPDT switch contacts rated 0.5A @ 120 VAC or 1A @ 24 VDC

5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>" x 1<sup>3</sup>/<sub>4</sub>" - includes box (133mm x 133mm x 45mm)

#### **PPH-50**

12/24 VDC, SPDT switch contacts rated @ 5A/125VAC, 3A/250VAC

4<sup>1</sup>/<sub>2</sub>" x 1<sup>3</sup>/<sub>4</sub>" x 1<sup>3</sup>/<sub>4</sub>" (114.3mm x 44.4mm x 44.4mm)

#### **PPH Series list prices**

Product name	Product description	UPC
PPH-100-PL	Large round push plate w/black box; Stainless steel faceplate with DPDT switch	043156651412
PPH-100-AL	Large round push plate w/aluminum box; Stainless steel faceplate with DPDT switch	043156651429
PPH-200-LED	Illuminated dual color large square push plate w/black box; Stainless steel faceplate with SPDT switch	043156651443
PPH-50	Rectangular narrow push plate w/black box; Stainless steel faceplate with SPDT switch	043156651450

Specialty switches/

**Digital keypads** 

**Push plates** Touchbars/

Emergency breaks/

Door cords

# RS Series Pushbuttons

## Warranty/Terms and conditions

## Emergency breaks

#### Emergency break


The resettable EGB Series are call points that can be activated without a power supply during emergencies. They are typically located on fire escape doors. The main function is to override an electrical locking device in case of emergency. A provided key allows the unit to be reset to normal mode.

#### EGB-100-G, EBG-100-R



#### **Features and benefits**

- 12/24 VDC, DPDT switch contacts rated @ 5A/125VAC
- Available in green or red case
- Detachable terminal block for easy installation
- Built-in 80db buzzer
- Blue backlight
- Non-glass, durable plastic unit, making it suitable for high traffic areas
- Resettable key included and available to order as a replacement part (EGB-KEY)
- Replacement cover available (EGB-COV)



Detachable terminal block

#### **EGB Series list prices**

Product name	Product description	UPC
EGB-100-G	Resettable emergency call point station with green case; Includes bue backlight, built-in buzzer and DPDT switch	043156651597
EGB-100-R	Resettable emergency call point station with red case; Includes bue backlight, built-in buzzer and DPDT switch	043156651603
EGB-KEY	Replacement and resettable key	043156651610
EGB-COV	Replacement clear plastic cover	043156651627

## Door cords

#### Door cords

The door cords offer a protective conduit for running wires from the frame to the door installed with electrical devices such as electrified locks. The cords are available in various lengths and finishes.

### DC-HD-16, DC-AL-20, DC-BR-20, DC-PL-12, DC-PL-20

#### Features and benefits

- Door loops available in 12", 16" and 20" in length
- Stainless steel cable resists abraison and damage
- Silver and brown (DC-BR-20) finish available to match doors and frames
- Surface mount
- Mounting hardware included



**Heavy duty -** DC-HD-16 with large, durable aluminum boxes for extra protection

Inside loop diameter: 3/8" Outside loop diameter: 1/2"



**Medium duty -** DC-AL-20/DC-BR-20 with aluminum end caps for increased durability

Light duty - DC-PL-12/DC-PL-20 with plastic end caps

Inside loop diameter: <sup>5</sup>/16" Outside loop diameter: <sup>7</sup>/16"

#### DC Series list prices

Product name	Product description	UPC
DC-HD-16	Heavy duty door cord with aluminum boxes; Stainless steel cable; 16" length	043156651559
DC-AL-20	Medium duty door cord with aluminum end caps; Stainless steel cable; 20" length	043156651566
DC-BR-20	Medium duty door cord with aluminum end caps; Stainless steel cable; 613/US10B finish	043156001651
DC-PL-12	Light duty door cord with silver plastic end caps; Stainless steel cable; 12" lengths	043156651573
DC-PL-20	Light duty door cord with silver plastic end caps; Stainless steel cable; 20" lengths	043156651580

22 · Locknetics · Full line catalog

**Digital keypads** 

Touchbars/ Push plates

Emergency breaks/ Door cords

# **RS Series Pushbuttons**

## Specialty sensor and buzzer switches

#### Timer-buzzer rectifier

The TBR is a multi-functional device made to serve as an added layer of security or convenience for your access control system. The TBR offers a delay timer, buzzer and AC to DC rectifier all in one package.

**TBR-100** 

#### Features and benefits

- Built-in surge protection
- Input 12/24 VAC, outputs 1A/12VDC
- Built-in 80db buzzer
- Selectable relock time (5, 15, 30 or 60 seconds)
- Red LED output indicator

#### EMS Series

This versatile sensor can be surface mounted above any door, ceiling or wall. The EMS Series has the flexibility and low profile design to make it an effective sensor for managing building security and traffic flow.

#### EMS-100



#### Features and benefits

- Operating voltage: 12/24 VDC
- Sensing field adjustment masks provide accurate detection zones
- Compact, aesthetically pleasing design
- Includes ceiling and surface mount adapters
- Operating temperature range is -20° F to +130° F

#### CSW Series

The CSW Series of switches were designed for a concealed desk application. They are used to release an electric lock or device from a remote location. The CSW Series currently operates via momentary action toggle switches that can be surface mounted.

CSW-100, CSW-200

EXIT

DOOR

EXIT

#### Features and benefits

- Made from PVC material
- CSW-100 flush mount
- CSW-200 surface mount
- SPDT switch
- Momentary toggle action

#### Options

Product name	Product description	<b>UPC</b> 043156651740	
TBR-100	Timer-buzzer rectifier with surge protection for strikes and other access control components		
EMS-100	Exit motion sensor with ceiling and surface mount adapters	043156651535	
CSW-100	Flush mount concealed desk resleas; SPDT switch	043156651542	
CSW-200	Surface mount concealed desk release; SPDT switch; Narrow stile	043156001637	

Specialty switches/ Digital keypads

## Limited product warranty

Schlage Lock Company, LLC (the "Company") extends a limited warranty against defects in material and workmanship to the original user of the Locknetics™ branded products manufactured by the Company (the "Products") beginning from the date of purchase by the original user pursuant to the terms below. Certain Products contain restrictions to this limited warranty, additional warranties, or different warranty periods. Please see below for specific Product limited warranty periods and details. This warranty only applies to Locknetics™ branded products purchased on or after September 1, 2017.

Product	Warranty period
Locknetics electromagnetic locks	5 years
Locknetics electric strikes	5 years
Locknetics access control accessories	3 years

What The Company Will do: Upon return of the defective Product to the Company or its authorized distributor for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects and proof of purchase, the company will, at its option, repair or replace the Product (with new or remanufactured product (as applicable), or refund the purchase price.

Original User: These limited warranties only apply to the original end user of the Products ("Original User"). These warranties are not transferable.

What is not Covered: The following costs, expenses and damages are not covered by the provisions of these limited warranties: (i) back charges or labor costs including, but not limited to, such costs as the removal and reinstallation of the Product or for normal maintenance; (ii) shipping and freight expenses required to return the Product to Company; (iii) failures, defects, or damage (including, but not limited to, any security failure or loss of data) caused by any third party product, service, or system connected or used in conjunction with the Product; (iv) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages; or (vi) normal wear and tear.

The provisions of these limited warranties do not apply to Products: (i) used for purposes for which they are not designed or intended by the Company; (ii) which have been subjected to alteration, misuse, abuse, negligence, or accident; (iii) which have been improperly stored, installed, maintained, repaired or operated; (iv) which are not the proper size for the application, have been used in violation of written instructions provided by the Company, or have been installed with improper or incorrect parts; (v) which have been subjected to improper temperature, humidity, or other environmental conditions (i.e., corrosion); or (vi) which, based on the Company's examination, do not disclose to the Company satisfactory non-conformance to these warranties. Additionally, these warranties do not cover scratches, abrasions, or deterioration due to the use of paints, solvents, or other chemicals.

Additional Terms: The Company does not authorize any person to create for it any obligation or liability in connection with the Products. No other warranties, express or implied, are made to the Original User with respect to the Products including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. No agent, representative, dealer, or distributor of Company has the authority to increase or alter the obligations under this limited warranties. No action arising out of a claimed breach of this warranty by Company may be brought by the Original User more than one (1) year after the cause of action has arisen.

How local law applies: This limited warranty gives you specific rights, and you may also have other rights as otherwise permitted by law. If these Products are considered a consumer product, some local laws do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so the above limitations may not fully apply. Refer to your local laws for your specific rights under this limited warranty.

Claims Process: If you have a claim under this limited warranty, please contact Company's Customer Service for repair, replacement or refund of the original purchase price in exchange for the return of the Product to Company. Contact Company's Customer Service at 1-877-671-7011.

Door cords

## Allegion General Terms and Conditions of Sale and Service

GENERAL/ACCEPTANCE. (a) This Agreement contains the only terms and conditions by which Company will quote and sell Deliverables to Customer; (b) The terms "purchase order" or "order" for the purposes of this Agreement include the term "request for quotation," as appropriate; (c) This Agreement supersedes all pre-printed or boilerplate terms and conditions set forth in any purchase order issued by Customer; (d) No reference herein to Customer's purchase order will in any way incorporate different or additional terms and conditions, all of which Company hereby expressly objects to; (e) ANY ACCEPTANCE BY COMPANY OF CUSTOMER'S PURCHASE ORDER IS EXPRESSLY CONDITIONED ON THE CUSTOMER'S ASSENT TO AND ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED IN THIS AGREEMENT; (f) Company reserves the right to decline any order, in whole or in part, for any reason.

#### ORDERS 2.

1.

- a. Order Processing. When Customer wishes to place an order for Deliverables, it will deliver to Company a purchase order. All such purchase orders must (i) be in a written format acceptable to Company, (ii) be legible, (iii) include a purchase order number, (iv) include Customer's account number, invoice address, ship to address, shipping method, shipper's letter of instruction for international shipments, part number, pricing, and designated contact information, (v) include, if applicable, any special configuration ID numbers, necessary programming information, special factory instructions, and requested specifications regarding a particular finish, handing, design, backset, or strike, (vi) reference any applicable pricing discounts under an ongoing buying program or based on a written quote from Company, along with the applicable buying program number or quotation number, and (vii) not combine buying program and quoted product on the same order.
- b. Minimum Orders. In the event the order value does not meet any required minimum net Deliverable value, Company may, at its sole discretion, (i) increase the quantity of items in the order to meet the minimum net Deliverable value requirement; (ii) apply a minimum order charge; (iii) reject the order, or (iv) waive the requirement, provided that the waiver of a requirement for one order shall not constitute a waiver of the requirement for any future orders.
- Acceptance of Purchase Orders. Company will endeavor to (i) acknowledge receipt of each purchase order issued in accordance with this Agreement, and (ii) notify Customer whether Company accepts or rejects the purchase order. If Company fails to accept or reject a purchase order within a reasonable time period, such failure to respond will be deemed a rejection of the entire order. Orders that combine buying program and quoted product on the same order will not be accepted and are hereby rejected by Company.
- Changes to Order/Cancellation of Orders. Additional terms and conditions regarding order changes and cancellations are available on the Allegion customer website, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. Unless otherwise provided herein, Customer acknowledges that (i) requesting a Change Order may cause a delay in the scheduled shipment date, a longer lead time or result in a new scheduled shipment date; (ii) Orders may not be changed after 48 hours of Company's order acknowledgment; (iii) After 48 hours of Company's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 25% of the active explored provided and the second second and the source of the sou of the acknowledged price.
- e. Add-ons. Add-on orders will not be accepted. Additions to orders will be entered as separate stand-alone orders and must gualify for all terms of sale. including discounts. on an individual basis.
- f. Fast-Track Orders. No changes or cancellations will be accepted on the 24-Hour Fast Track Program. For 3-day Fast Track orders, changes and cancellations may only be requested by Customer within 24 hours of Company's order acknowledgment if the order has not shipped. For 5-Day Fast Track orders, changes and cancellations may only be requested by Customer if the order has not shipped and if the request is made to Company within 48 hours of Company's order acknowledgment. Return Material Authorization (RMA) for Deliverables must be processed through Fast Track Customer Service.
- g. Steelcraft Orders. For all Steelcraft orders, changes or cancellations are allowed without penalty only if made within 48 hours of Company's order acknowledgment, and provided that the order has not shipped. Some exceptions do apply please consult the factory. Changes are not allowed on Rapid Program orders after the order has been entered and acknowledged. After 48 hours of Company's order acknowledgment, all changes or cancellations are subject to a charge of 25% of the order. Unless otherwise specified by Company in writing, any changes to orders acknowledged by Company that affect the delivery date will be deemed a new order and will require acknowledgement by Company as provided in this Section. Additional products, features, terms and conditions regarding the Rapid Program are available on the Allegion customer website, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE.

#### PRICES, INVOICES AND PAYMENT.

- a. Prices. The prices in Company's Price Book are subject to change at any time, without notice to Customer. Company may charge Customer additional amounts if Customer requests special packing, marking, shipment, product modification, or engineering services. Oral prices specified by Company are null and void. Quote numbers must be referenced on Customer's purchase order in order for the Company's quoted pricing to apply. Orders that do not reference a quote number will receive buy program pricing or book net pricing. Quoted prices are for those specific products quoted for a specified job, and are subject to the Price Book in effect at the time Company receives the order.
- b. Taxes. Prices do not include any present or future federal, state or local property, license, privilege, sales, use, excise, gross receipts or other like taxes or assessments which may result from transactions or any services performed in connection therewith. Any taxes, charges, or duties imposed by any governmental authority on the sale of Deliverables will be paid by Customer, in addition to the selling price specified by Company.
- c. Payment Terms. Company will deliver to Customer an invoice with each shipment of Deliverables hereunder. Customer will pay all invoiced amounts within 35 days of the invoice date (subject to any early pay discounts that may be offered to Customer by Company in its sole discretion). Customer will make all payments in United States dollars. Past due invoices will be subject to a late payment service charge of 1.5% per month on any overdue unpaid balance, equivalent to 18% per annum, or the maximum rate permitted by law, whichever is less. Customer shall reimburse Company for all costs of collection, including, without limitation, reasonable attorneys' fees, for any overdue amount owed by Customer to Company, and such collection costs shall also be subject to interest charges.

#### 4. OUOTATIONS.

- a. Project Quotations. Project or new construction quotes are restricted to the specific project quoted for the quantities, finishes, and series of Deliverables referenced on the quote. Company reserves the right to require proof of sale of Company products for any quoted project
- b. Stock Quotations. Deliverables fulfilling stock quotations may only be used for the following: i) Stocking of the Customer's shelves for small, quick-turn, discretionary projects, products. Deliverables purchased under Stock Quotations cannot be redistributed to other Customer branch locations or re-sold to other resellers or used for aftermarket sales, end-user annual contracts or sold over the counter to any walk in trade.
- c. General. All quotes are subject to this Agreement, unless otherwise specified by Company, and are subject to change at any time prior to Company's acceptance of a purchase order referencing the applicable quote number. Company, its representatives and employees reserve the right, in their sole discretion and for any reason, to refuse a Customer's request to quote a price other than the standard list price, regardless of whether Company or its representatives or employees have previously quoted discounted prices to the Customer on some or all of its orders. Customer's failure to comply with this Section 4 will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase orders and/or Customer's ability to distribute Company's products.
- SECURITY INTEREST. Customer grants Company, and Company retains, a purchase money security interest and lien on any and all of Customer's rights, title and interest in each Deliverable sold by Company to Customer, wherever located, until the invoice for the applicable Deliverable(s) is paid in full, including any late charges and costs of collection. Customer authorizes Company to, and will assist Company in, taking all necessary steps to perfect and maintain Company's interest in such Deliverables.
- CREDIT TERMS. Unless Customer pre-pays all of its purchase orders in advance, its purchase orders will be subject to the credit limit and other terms of credit ("Credit Terms") set forth in Company's credit application, which Credit Terms Customer acknowledges are subject to change by Company at any time. Company reserves the right to request payment in advance of shipment or any order or to request adequate assurances for Customer's payment of an order and may withhold or stop shipment, without any liability to Company, until Customer submits payment or adequate assurance of payment.
- RESALE OF DELIVERABLES. Customer agrees and warrants that it will offer Company products in support of Company-written specifications and will maintain sufficient inventory to adequately support End Users, installers, and/or general contractors' needs. Company may implement an MSRP or a resale pricing program at any time in its sole discretion. Failure to comply with such program(s) will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase order 7. and/or Customer's ability to distribute Company's products. Customer shall, at its own expense, gain and maintain sufficient knowledge of the industry and products competitive with Deliverables so as to be able to (a) explain in detail to End Users, installers, and/or general contractors the differences between the Deliverables and competing products. (b)

**Digital keypads** 

**Push plates** 

Emergency breaks/

Door cords

з.

5.

6.

and buzzer switches Specialty sensor **Warranty/Terms** conditions

and

ensure that an adequate number of trained, capable and qualified technical personnel with sufficient knowledge of the Deliverables and who have obtained all necessary licenses and permits are available to assist End Users, installers, and/or general contractors, and (c) respond to such End Users, installers, and/or general contractors with respect to the general operation and use of the Deliverables including, but not limited to, (1) acting as a liaison between the End Users, installers and/or general contractors and Company in matters requiring Company participation (2) providing general product information and configuration support on standard protocols and features (3) collecting relevant technical problem identification information, and (4) posting and distributing any warranty information concerning the Products in accordance with Company's instructions. Customer is responsible for all service and support resulting from the re-sale of any Deliverable to End-Users, installers and/or general contractors, examples of which may include, but are not limited to, support activities such as installation, initialization, software set-up, training, trouble-shooting, technical support and field service. In the event Customer is unwilling or unable to perform said support activities, Company reserves the right to recover from Customer any and all expenses incurred by Company to resolve the afore-mentioned End-User, installer and/or general contractor issues. Technical product training is recommended for Customer in order to fully service and support Deliverables purchased from Company that are resold to End-Users, installers and/or general contractors.

DEFAULT. If Customer is in default of payment or otherwise with respect to any purchase order or other contract with Company, Company shall have the right, in addition to all other legal remedies and without prejudice to any of its right hereunder, to defer further shipments under that or any other purchase order until such default is corrected 8. and to declare all outstanding bills of Customer to be immediately due and payable.

#### 9. INSPECTION AND DELIVERY.

- a. Inspection. Customer will inspect all Deliverables immediately after receiving them. Customer will be deemed to have accepted the Deliverables unless Customer notifies Company in writing of any nonconformance within 10 days of delivery and provides Company written evidence reasonably documenting that nonconformance. Inspection of Deliverables at Company's facility is not permitted.
- b. Delivery. Delivery schedules for Deliverables are based upon current production capacities, material or component availability, and inventory, and may be changed by Company as conditions require. Delivery schedules for services are based upon Company's prompt receipt of, and prompt access to, Customer's equipment and all information necessary to complete the services. In no event will any delivery date be construed as falling within the meaning of "time is of the essence." Partial delivery shall be accepted by Customer and paid for at the price and on the terms stated herein. Any partial delivery shall constitute a separate sale, and payment shall be separately made when due. If any part of a delivery hereunder is not delivered by Company in accordance with Customer's purchase order, this Agreement shall not be affected thereby.
- 10. TITLE AND RISK OF LOSS. Unless otherwise specified by Company, (i) where the Customer is located in the United States, all Deliverables will be sold "Uniform Commercial Code, FOB Origin, Company's factory"; and (ii) where the Customer is located outside of the United States, all Products will be sold "Ex-works, Company's factory (Incoterms 2010)." In either instance, title and risk of loss will pass to Customer upon delivery to the carrier at Company's factory, provided, however, as set forth herein, Company shall retain a security interest in the Deliverables until full payment has been made therefore, and Customer agrees, upon request, to do all things and acts necessary to protect Company's interest by adequately insuring the Deliverables against loss or damage from any cause and to have Company named as an additional insured. Customer will promptly provide Company with a copy of the relevant certificate of insurance upon Company's request.

#### SHIPPING AND SHIPPING PROGRAMS. 11.

- a. Freight Charges. Company will ship all Deliverables in accordance with Company's freight shipment guidelines, which are set forth on the Allegion customer website ("Freight Shipping Guidelines"), WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN.
- b. Rush Charges. Expedited order options are available as set forth in Company's Freight Shipping Guidelines.
- c. Packing and Marking. Company will pack, mark, and ship Deliverables according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Special instructions may result in an increased price.
- d. International Shipments. For all international orders, a Shipper's letter of instruction must be submitted in writing with the order. Failure to do so will result in the order being rejected. Complete adherence to this order requirement will be strictly enforced. Company will not be held liable for any charges resulting from delays due to lack of complete required information being supplied. Once received by the Company, a purchase order cannot be combined with any other order to increase average order size as ti relates to Company's Freight Shipping Guidelines. However, for orders placed under Company's FastTrack 24 Hour/5 Day Program (available for Schlage, Von Duprin, LCN and Glynn-Johnson products); ii) FastTrack 24 Hour/3 Day Program (available for Ives products); or ProExpress (available for specific product lines stated in the ProExpress price book for Falcon, Ives, Glynn Johnson, LCN, Schlage and Von Duprin products); or ProExpress (available for specific product lines stated in the requirements identified by Company, be combined on a single order to increase average order size used in Company's Freight Shipping Guidelines.
- CLAIMS. All claims must be submitted in writing to Company as follows: (i) All claims for prices must be submitted within thirty (30) days from the date of invoice; (ii) All claims regarding Deliverable quantity or incorrect orders must be submitted within ten (10) days from the date of delivery; (iii) All claims for damage to Deliverables (while in the care, custody, and control of Company) must be submitted within thirty (30) days from the date of invoice; (iv) All claims for loss or damage to Deliverables while in the care, custody, and/or control of a carrier will be the responsibility of Customer, unless otherwise agreed by the parties. 12.
- 13. PRODUCT CHANGES. Company's product policy is one of ongoing update and revision, and accordingly, Company reserves the right to change, without notice, the design of, or the process of manufacturing, the Deliverables covered by this Agreement.
- **PRODUCT USAGE LIMITATION.** Customer agrees: (i) not to sell or use a Deliverable in any manner contrary to the manner in which the Deliverable is intended to be used; and/or (ii) not to modify the design of any Deliverable for use with another product without the prior written consent of Company. 14.
- PRODUCT RETURNS. Unless otherwise agreed by the parties in writing. Deliverables that are correctly furnished by Company per the purchase order may not be returned 15. unless Customer receives written authorization from Company. If returns are authorized by Company, a return merchandise authorization ("RMA") number must be provided by Company, Deliverables identified under such RMA must be returned to Company within 90 days of issuance of the RMA. Such RMA number and any accompanying RMA documents, the original invoice number, and a written explanation for the return must be included with the returned Deliverables in order for Company to inspect and approve a credit for the return. For warranty returns, a credit in the amount of the original purchase price will only be issued if, after Company's receipt and inspection of the returned Deliverables, Company confirms, in its sole discretion, the defect is valid and approves the return. For non-warranty returns/convenience returns, in the event Company approves such a return, in its sole discretion, the following shall apply: (a) the total amount of Deliverables requested to be returned shall be a minimum of \$250.00; (b) a credit will be made to Customer's account in the amount of the original purchase price less freight and a handling charge of 45% of the net material on the original invoice; and (c) only Deliverables that are new, current, standard, non-obsolete, non-specially manufactured, unused, in their original condition as at the time of sale by Company to Customer, in their original packaging and in Customer's inventory less than 180 days from the date of shipment by the Company and not ordered as part of a master key solution, may be considered by Company for return. Such credit will only be issued if, after Company's receipt and inspection of Deliverables, Company approves the return. The amount of final credit will be determined upon receipt at the factory and following Company's inspection and analysis of the condition of the returned material. Company retains the right to deny credit to anyone for any reason.

#### CONFIDENTIAL INFORMATION. 16.

- a. Non-Use And Non-Disclosure. Customer shall not use the Confidential Information of the Company except for the purpose of performing its obligations under this Agreement or exercising the rights granted herein (the "Purpose"). Customer shall protect Confidential Information of the Company from disclosure and unauthorized use in the same manner that it protects its own Confidential Information, but in no event shall such standard of care be less than reasonable care. Customer may disclose Confidential Information of the Company only to its employees who require such information for the Purpose and who are subject to confidentiality obligations at least as protective as those set forth herein.
- b. Proprietary Information and Advice. (a) All designs, data, and specifications provided by Company are proprietary and may not be disclosed or reused by Customer without the prior written consent of Company; (b) Company assumes no obligation or liability for any advice given by Company, the results obtained, or damages incurred as a result of such advice, and all such advice is given and accepted at Customer's risk.
- c. Return. Upon the termination or expiration of a purchase order or this Agreement or upon the request of the Company, the Customer agrees to end all further use of, to immediately return to the Company the original version of, and to delete or destroy all copies of, any and all Confidential Information of the Company.
- TRADEMARKS. Except as agreed to by Company in writing, Customer agrees not to (a) use Company's name in any form of publicity; or (b) use, create, register or market, 17. directly or indirectly, in whole or in part, Company's names, logos, brands, or any other trademarks, or names that are now or may hereafter be owned by Company, as part of Customer's corporate or business name, as part of an internet domain name, uniform resource locator (URL), or in any way connected with Customer's business, trade address or other designations. Upon termination of this Agreement or upon the request of company for any reason, any use of Company's trademarks or names will be immediately discontinued.

#### LIMITED WARRANTY.

LIMITED WARRANTY. COMPANY MAKES NO OTHER WARRANTIES EXCEPT THOSE STATED IN COMPANY'S LIMITED WARRANTY IN EFFECT ON THE DATE COMPANY ACCEPTS EACH APPLICABLE PURCHASE ORDER ("LIMITED WARRANTY"). THE LIMITED WARRANTY MAY BE FOUND IN THE APPLICABLE PRICE BOOK AND ON THE ALLEGION CUSTOMER WEBSITE, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. COMPANY WILL MAIL CUSTOMER A HARD COPY OF THIS WARRANTY UPON CUSTOMER'S WRITTEN REQUEST. IN THE EVENT THAT CERTAIN DELIVERABLE WARRANTIES ARE NOT FURNISHED BY THE COMPANY TO CUSTOMER, COMPANY WARRANTS ONLY TO CUSTOMER THAT THE DELIVERABLES WILL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF 12 MONTHS FROM THE DATE OF SHIPMENT OF THE DELIVERABLES. COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIRING OR REPLACING, AT COMPANY'S OPTION, THE DEFECTIVE DELIVERABLE, PROVIDED WRITTEN NOTICE OF THE DEFECT OR NONCONFORMANCE IS PROVIDED BY CUSTOMER WITHIN 30 DAYS OF DISCOURTING TO THE DEFECTIVE DELIVERABLE. COMPANY'S LIDICAL HE DAY OF THE DEFECT OR NONCONFORMANCE IS PROVIDED BY CUSTOMER WITHIN 30 DAYS OF DISCOVERY OF THE DEFECT OR NONCONFORMANCE. COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE DELIVERABLES,

INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE

- a. Exclusions. The provisions of this Limited Warranty do not apply to Deliverables that: (A) are not the proper size for the application; (B) are not installed in accordance with Company's published installation instructions; (C) are installed with improper or incorrect parts and/or are used for purposes for which they are not designed or intended; (D) have been repaired or altered without the Company's prior written consent; (E) have been subjected to misuse, abuse, negligence or accident; (F) have been improperly stored, installed, maintained or operated; (G) have been used in violation of written instructions provided by Company to Customer; (H) have been subjected to improper temperature, humidity, or other environmental conditions, or (I) have been affected by normal wear and tear. In addition, the provisions of this Limited Warranty do not apply to any defects or issues with the design or performance of equipment or products not manufactured by Company, nor does it apply to any code compliance or permit requirements for the assembly, installation, erection or construction of any goods. Company is not responsible for loss or damage resulting from use of Deliverables in conjunction with parts or systems not manufactured by Company. Accessories or products furnished by the Company, but manufactured by others, shall carry whatever warranty the manufacturers have conveyed to the Company and which can be passed to Customer.
- b. Services. Company warrants that its services will be free from defects in material and workmanship for a period of 12 months from the date of completion of the particular items of service. Company's sole obligation under this service warranty is limited to repair or reperformance, at its option of the service, provided however, if repair or reperformance is either impractical or impossible, the Company will refund to Customer that portion of the price paid to Company for any defective service, provided written notice of the defect or nonconformance is provided by Customer within 30 days of discovery of the nonconformance.
- c. Notification. Customer agrees to immediately notify Company in writing if any claim is made against Customer for any damages caused by any modules, parts, products, service or other Deliverables which may be the direct result of any defect in the manufacture of such aforementioned products. Customer agrees to cooperate with Company and its counsel in the defense of such claim and Customer agrees not to settle such claim without Company's written consent. If Customer fails to notify Company of such claim or fails to cooperate in such defense as aforesaid, then Company shall be discharged from any obligations under this Section and shall have no further liability to Customer.
- d. Exceptions. The following costs and expenses are not covered by the provisions of these limited warranties: (i) labor costs for the removal and reinstallation of Deliverables or other manufacturer's products; (ii) shipping and freight expenses required to return Deliverables to Company; (iii) normal maintenance; and (iv) economic losses. In addition, the provisions of this warranty are not applicable to anything other than defects in Company's material (products only) or workmanship

#### 19. LIMITATION OF REMEDIES.

LIMITATION OF REMEDIES. CUSTOMER'S EXCLUSIVE AND SOLE REMEDY ON ACCOUNT OF, OR IN RESPECT OF, THE FURNISHING OF NON-CONFORMING DELIVERABLES, SHALL BE TO (A) SECURE REPAIR OR REPLACEMENT OF THE PRODUCTS; OR (B) SECURE REPAIR OR RE-PERFORMANCE OF THE SERVICES OR TO OBTAIN A REFUND OF THE PRICE PAID FOR THE DEFECTIVE SERVICE, ALL AT COMPANY'S OPTION. IN NO EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE DELIVERABLE. THE WARRANTY, OBLIGATIONS AND LIABILITES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF CUSTOMER ARE EXCLUSIVE AND ARE IN LIEU OF AND CUSTOMER HEREBY WAIVES AND RELEASES ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILI-TY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PEFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OF COMPANY OR FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE DELIVERABLE, OR ANY COMPONENT THEREOF, DELIVERED OR RENDERED HEREUNDER OR OTHERWISE. DELIVERED OR RENDERED HEREUNDER OR OTHERWISE.

#### INDEMNIFICATION AND LIMITATION OF LIABILITY.

- a. Customer shall indemnify. defend and hold Company, and its officers, directors, employees, customers, Affiliates, suppliers, users and agents, (collectively the "Indemnitees") harmless from and against any and all damages, claims, losses, expenses, costs, obligations, liabilities, including without limiting the generality of the foregoing, liabilities for court costs and attorneys' fees, suffered directly or indirectly by an Indemnitee by reason of, or arising out of any injury, death or loss to any person, or injury to any property (collectively, "Damages"), received or sustained by any person(s) or property, arising out of, occasioned by, attributable or related to i) any breach of any representation or warranty made by Customer, its officers, directors, employees, affiliates, users, agents, representatives or customers to Company or any third party, (ii) any failure by Customer to perform or fulfill any of its covenants, acts and/or omissions to Company or to any third party, or (iii) any litigation, proceeding or claim by any third party relating in any way to the obligations of Customer and/or the Deliverables sold by Company to Customer hereunder. Customer shall not consummate any settlement of any indemnified claim without the indemnites' prior written consent. Customer's obligation to indemnify indemnites will continue in full force and effect notwithstanding the termination or expiration of any order under this Agreement. In any claim against an Indemnitee by an employee of Customer or any subcontractor or anyone directly or indirectly employed by any of them or anyone for whose acts they may be liable, the indemnification obligations set forth in this Section shall not be limited in any way by or for Customer or any subcontractor under any applicable worker's compensation act, disability or other employee benefit act, or insurance coverage. This provision shall survive termination of any order or Agreement. IN NO EVENT WILL COMPANY, ITS OFFICERS, DIRECTORS, EMPLOYEES, CUSTOMERS, AFFILIATES, USERS AND AGENTS, (NOR COMPANY'S SUPPLIERS) BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PLOIMERS, ARAGES OF ANY KIND OR NATURE UNDER ANY CIRCUMSTANCES INCLUDING, BUT NOT LIMITED TO, LOSS OF USE OF THE PRODUCTS, SERVICE INTERRUPTION, LOSS OF PROFITS, LOSS OF REVENUE, LOSS OF INTEREST, LOST GOODWILL, LOSS OF DATA, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS, LOSS BY REASON OF SHUTDOWN OR NON-OPERATION, INCREASED EXPENSES OF OPERATION, OR CLAIMS OF CUSTOMER'S CUSTOMERS, OR ANY OTHER LOSSES OR DAMAGES ARISING OUT OF ANY LACK OR LOSS OF USE OF THE DELIVERABLES WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE), PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
- b. INTELLECTUAL PROPERTY INDEMNITY. Company makes no representation or warranty to the Customer that the Deliverables shall not infringe any intellectual property rights including, without limitations, claims arising from patent, copyright, trademark, trade secret, or other intellectual property infringement. Customer agrees to hold Company harmless from and defend the Company against any such claim of intellectual property infringement, including any Damages resulting from that claim, the cost of complying with any preliminary or permanent injunction, and all other costs of defense (including the attorneys' fees and costs), in connection with the foregoing.
- c. To the extent that applicable law does not permit any limitations set out in this Agreement, such limitation shall not be applied or invoked. Nothing in this Agreement will be interpreted to disclaim liability of Company or the Indemnitees for gross negligence or willful misconduct. The limitations of remedy and liability herein shall not be interpreted to affect Company's obligations, if any, for claims for (i) property damage, (ii) personal injury, or (iii) wrongful death asserted by persons who are not parties to or beneficiaries of this Agreement. Further, the limitations of remedy and liability herein shall not be interpreted to affect Company's or Customer's right, if permitted by applicable law, to assert a claim for contribution among joint tortfeasors in connection with a claim by a person who is not a party to this Agreement.
- CERTIFICATIONS. Certification of Deliverables for compliance with UL and ANSI standards are tested and performed by third-party independent laboratories. Any field 21. modification or alteration of certified Deliverables will void certification and Company is not liable to Customer to certify any modified or altered Deliverable
- TERM FOR CLAIMS. NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS AGREEMENT BY COMPANY MAY BE BROUGHT BY CUSTOMER MORE THAN ONE (1) YEAR AFTER THE CAUSE OF ACTION HAS ARISEN. 22.

#### CONSUMER PRODUCTS. 23.

WITH RESPECT TO "CONSUMER PRODUCTS" AS DEFINED UNDER THE MAGNUSON-MOSS WARRANTY ACT ("MMWA"), THE FOLLOWING STATEMENTS ARE MADE. (A) SOME STATES OR LOCAL LAWS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU; (B) IF ANY IMPLIED WARRANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARRANTY PROVIDED IN SECTION 18 ABOVE. (C) SOME STATES OR LOCAL LAWS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU; AND (D) THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE OR LOCATION TO LOCATION

- FORCE MAJEURE/EXCUSABLE DELAY. Any delay or failure of Company to perform its obligations hereunder will be excused to the extent that it is caused by an event or 74. occurrence beyond Company's control such as, by way of example and not by way of limitation, acts of God, acts by any governmental authority (whether valid or invalid), governmental laws and regulations not presently in effect, fires, floods, windstorms, explosions, riots, natural disasters, wars, sabotage, accidents, labor problems (including, without limitation, lockouts, strikes, and slowdowns) at Company's facility, its source plant or their suppliers, inability to obtain power, material, labor equipment, or transporta-tion, or court injunction or order. The delivery date will be extended for a time equal to that of the delay and the schedule for Company's performance will be deemed adjusted to that effect
- ENTIRE AGREEMENT AND AMENDMENT. This Agreement, together with the attachments, exhibits, webpages, or supplements specifically referenced and incorporated herein, constitute the entire agreement between Company and Customer with respect to the matters contained herein and supersede all previous communications, representations, or 25. agreements, either oral or written between Company and Customer. No agreement or understanding varying or expanding this Agreement will be binding upon either party unless it is in writing and signed by a duly authorized representative of each party hereto.
- CONFLICTS. In the event of any conflict or inconsistency between the terms of any agreement, or any part of an agreement or the various documents (including, but not limited 26. to, electronic documents) between Company and Customer, unless the parties agree otherwise in writing, the various components of the agreements shall be given the following precedence (in descending order of precedence): a) any master agreement or long term agreement between Company and Customer; b) any specific terms, conditions and/or warranties of the individual products or Deliverables; c) the terms and conditions of this Agreement, and d) any purchase order.
- UNSATISFACTORY CREDIT/TERMINATION FOR INSOLVENCY OR DEFAULT. Customer shall furnish Company with statements evidencing Customer's financial condition as Company may, from time to time, reasonably request, and shall notify Company immediately of any and all events that may have a material adverse effect on Customer's business or financial condition. If Company determines, in its sole discretion, that Customer's financial condition or creditworthiness is inadequate or unsatisfactory, then in addition to Company's other rights, Company may without liability or penalty, take any of the following actions: (1) modify the payment terms for any outstanding and/or future 27.

Door cords

**Warranty/Terms** conditions

and

purchases; (ii) cancel any previously accepted orders; (iii) delay any further shipment of Deliverables to Customer; or (iv) any combination of the above.

Company may immediately terminate an order from Customer by giving written notice to Customer in the event of the happening of any of the following or any other comparable event: (i) insolvency of the Customer; (ii) fling of a petition in bankruptcy by or against the Customer; (iii) appointment of a receiver or trustee for the Customer; (iv) execution of an assignment for the benefit of creditors by the Customer, all of which will allow Company to demand reclamation of all affected orders; (v) Customer ceases or threatens to cease to trade; (vi) Company determines that Customer does not meet or no longer meets the credit requirements of Company or Customer's credit account is closed; (vii) any Customer violation of law, specifically including, without limitation, those laws set forth in this Agreement.

In the event of termination in accordance with this section, Company will not be obligated to accept any existing or additional orders from Customer and Company will be released from its obligation to deliver under orders accepted prior to such termination. The rejection or termination of any order by Company will not entitle Customer to any termination or severance compensation, or to any payment in respect to any goodwill established by Customer, or render Company liable for damages on account of the loss of prospective profits, or on account of any loss, expenditure, investment or obligation incurred or made by Customer.

No action taken under this Section 27 by Company (nor any failure of Company to act under this Section 27) will constitute a waiver by Company of any of its rights to enforce Customer's obligations, including the obligation of Customer to make payments as required under this Agreement. Upon termination of any order, all amounts owed by Customer to Company will become immediately due and payable, whether or not otherwise then due or payable.

- 28. CREDIT RISK ON RESALE OF DELIVERABLES. Customer is responsible for all credit risks with respect to, and for collecting payment for, all Deliverables sold to third parties (including End Users, installers, and/or general contractors) whether or not Customer has made full payment to Company for such Deliverables. The inability of Customer to collect payment for any Deliverable shall not affect Customer's obligation to pay Company for any Deliverable.
- 29. GOVERNING LAW; VENUE; AND EXPENSES. Any dispute or claim relating to this Agreement shall be governed by and construed according to the laws of the State of Indiana (excluding its conflict of laws principles); and not by the provisions of the 1980 United Nations Convention on the International Sale of Goods. Any disputes or claims shall be instituted and maintained in the courts of the State of Indiana. Customer consents to the exercise of jurisdiction over it by such courts and agrees that Indiana is not an inconvenient forum for any action arising from or relating to this Agreement. Customer agrees to pay for all expenses (including, but not limited to, collection costs, court costs and attorneys' fees) incurred by Company in enforcing the obligations of Customer under this Agreement.
- 30. RELATIONSHIP OF THE PARTIES. Nothing in this Agreement or any other document creates an employment, partnership, joint venture, or agency relationship between Company and Customer, including that of franchisee/franchisor. No party will have any power or authority to enter into any commitment on behalf of or otherwise bind the any other party on any matter. No employee of Customer will be deemed to be an employee of Customer, provision of this Agreement is deemed to create a franchise relationship or business opportunity between the Parties, then Company may terminate any purchase order or this Agreement or the Parties shall negotiate in good faith to modify this Agreement so as to effect the original intent of the Parties as closely as possible in a mutually acceptable manner in order that the transactions contemplated hereby are consummated as a reseller agreement and not a franchise or business opportunity agreement.
- 31. SETOFF. Customer does not have the right to setoff or to back charge against any amounts which become payable to Company under this Agreement or otherwise. Company will not accept responsibility for backcharges for the cost of material or labor by Customer or any third party.
- 32. ELECTRONIC COMMUNICATIONS AND ELECTRONIC SIGNATURES. Both parties expressly agree to electronic transactions and acknowledge that documents they sign electronically will bind them to the same extent as a paper signature. Customer represents and warrants to Company that only employees authorized to bind Customer legally shall electronically sign any document under this Agreement. Customer shall comply with any method of electronic communication/payment processing specified by Company, including electronic funds transfer, pay-on-receipt processes/systems, order transmission, releases, electronic signature, and electronic communication systems, including, without limitation, the use of electronic data interchange ("EDI") portals. Notwithstanding the foregoing, e-mails, even those containing a signature block of one of Company's representatives, shall not constitute a signed writing.

#### 33. COMPLIANCE WITH APPLICABLE LAWS.

- a. General. Company and Customer will comply with all applicable federal, state and municipal laws, regulations, codes, ordinances and orders that pertain to the Deliverables, including but not limited to full compliance with any applicable provisions of The Health Insurance Portability and Accountability Act. Where the Customer is located outside the United States, or where the customer intends to ship the product outside the United States, the Customer shall be responsible for compliance with all U.S. export laws, and for filing all U.S. Electronic Export Information, as applicable.
- b. The Customer acknowledges and agrees that: (i) it shall not violate applicable laws and regulations in performing its duties under this Agreement; (ii) it does not and shall not engage in any conduct that shall violate any applicable anti-bribery or anti-corruption laws or regulations; (iii) it (and its owners, officers, directors, employees and agents) shall not pay, offer, promise or authorize the payment of, either directly or indirectly, anything of value (including but not limited to cash, gifts and entertainment) to (a) any government official or employee of any government; (b) any official or employee of any department, agency, or instrumentality of a government; (c) any employee of any corporation or entity owned or controlled by a government; (d) any family member of such officials or employees; (e) any political party, party official, or political candidate; or (f) any other persons, owners, officers, directors, employees and agents of any corporation or entity or illegally assist in obtaining or retaining business (including but not limited to any contracts, avoidance of duties or reduction of tariffs, reduction of taxes or to obtain money owed, or to obtain regulatory approval) or for the purpose of causing, soliciting or inducing the sale and purchase of the Deliverables by any party, and (iv) it has full knowledge of and will complay with the Company's Code of Conduct for Business Partners as set forth on the Allegion customer website, WHICH IS HEREBY INCORPORATED BY REFERENCE.
- c. The Customer shall indemnify and hold the Company harmless from any claim, demand, expense or cost arising from any breach of this Article.
- d. The Customer shall permit the Company to conduct an audit or review of the Customer's financial books and records and business operations at such other times that the Company considers it necessary to confirm compliance with this provision. Such audit may be conducted by representatives of the Company or, at the Company's sole discretion, by a certified public accounting firm selected by the Company. The Customer shall cooperate with any inquiries from the Company's Ethics and Compliance Group.
- e. A violation of this provision constitutes a material breach of this Agreement and the Company may terminate any purchase order or this Agreement immediately, with no opportunity to cure, in accordance with Section 27 of this Agreement.
- f. Notwithstanding the foregoing provisions of this Section 33, (i) Company is not responsible for obtaining or maintaining any permits for the performance of services or the verification or compliance with any code requirements relative to the performance of services, (ii) to the extent any sale of Deliverables pursuant to this Agreement may require approval of the U.S. Government, Company's obligations under this Agreement are conditioned upon the grant of such approval and upon compliance by Customer with any restrictions imposed by the U.S. Government in connection with such approval, and (iii) in the event the Deliverables are to be used in a nuclear facility, the Customer shall, prior to such use, arrange for insurance or governmental indemnity protecting Company against liability. The Customer hereby releases and agrees to indemnify Company and its suppliers for any nuclear damage including, but not limited to, loss of use, in any manner arising out of the nuclear incident, whether alleged to be due, in whole or in part by Company or its suppliers.
- g. No Inducements. Each party represents to each other that neither it nor any person acting on its behalf has, in contravention of any applicable law, given or offered to give or will give or offer to give, any sum of money or other material consideration to any person, directly or indirectly, as an inducement to obtain business hereunder or to influence the granting of license or other governmental permissions to enter into this Agreement or perform obligations hereunder.
- h. Equal Employment Opportunity. Company is a U.S. federal contractor that complies with Executive Order 11246, as amended, and applicable regulations in 41 CFR Parts 60-1 through 60-60, 29 U.S.C. § 793 and applicable regulations in 41 CFR § 60-741; and 38 U.S.C. § 4212 and applicable regulations in 41 CFR Part 60-250 and 60-300. THE FOLLOWING PROVISIONS ARE INCORPORATED HEREIN BY REFERENCE: Executive Order 11246, as amended by Executive Order 13672, and 41 CFR § 60-4.3(a); Executive Order 11701 and 41 CFR § 60-250.5(a), 60-300.5; Executive Order 11758 and 41 CFR § 60-741.5(a); U.S. immigration laws, including the L-1 Visa Reform Act of 2004 and the H-1B Visa Reform Act of 2004; and Executive Order 13496.
- i. Ethical Business Conduct. Customer shall adopt and comply with Company's Business Partner Code of Conduct which is EXPRESSLY INCORPORATED HEREIN BY REFERENCE.
- 34. REPRESENTATIONS AND WARRANTIES. Customer represents, warrants and covenants to Company that: (a) it has the right, power, and authority to enter into this Agreement and fully perform its obligations hereunder; (b) it has all necessary rights in and to its respective Content and Marks for use within the scope of this Agreement, including the licenses granted herein; and (c) it complies, and at all times shall comply, with all laws, rules, and regulations in effect that are applicable to its performance under this Agreement, including obtaining all such approvals and/or permits as may be required hereunder.
- 35. NO THIRD-PARTY BENEFICIARY. Each party is entering into this Agreement solely based on the representations contained herein for its own purposes and not for the benefit of any third party.
- 36. NOTICES AND CHANGE OF ADDRESS. All notices or other communications under this Agreement shall be in writing and delivered in person, or sent by receipted courier, express mail, e-mail, or postage prepaid certified or registered mail, addressed to the party for whom it is intended, at the addresses set forth in this Agreement. Either party may change its address for notice by giving written notice to the other party. Any notice or other communications be deemed given no later than the date actually received. Notice by courier, express mail, certified mail, or registered mail shall be deemed given on the date it is officially recorded as delivered and, in the absence of such

Warranty/Terms

record of delivery, it shall be rebuttably presumed to have been delivered on the third Business Day after it was deposited. Notices sent by e-mail require tangible confirmation of receipt from addressee.

- **37. ASSIGNMENT.** Customer may not assign this Agreement without the prior written consent of Company. Company may assign its rights and delegate its duties under this Agreement, without the prior consent of Customer, to an Affiliate, or to a third party in the event of a spin-off, merger, business combination, consolidation or sale of all, or substantially all, of its assets or business that are related to this Agreement. The rights and duties in this Agreement shall bind and inure to the benefit of any such assignee.
- 38. SEVERABILITY. If any provision of this Agreement is held to be invalid, illegal, or unenforceable under any statute, regulation, ordinance, executive order, or other rule of law, that provision will be deemed severed to the extent necessary to comply with such statute, regulation, ordinance, order, or rule. In the event such provision is deemed severed, the parties will negotiate in good faith to arrive at an alternative arrangement approximating the original business objective of the parties. The remaining terms and conditions of this Agreement will remain in effect.
- 39. NO IMPLIED WAIVER. The failure of either party at any time to require performance by the other party of any provision of this Agreement will in no way affect the right to require such performance at any time thereafter, nor will the waiver of either party of a breach of any provision of this Agreement constitute a waiver of any succeeding breach of the same or any other provision.
- 40. MISCELLANEOUS. (a) This Agreement does not make either party the agent or legal representative of the other party. Neither party is authorized to create any obligation on behalf of the other party including, but not limited to, the obligation for payment of any service or warranty obligation hereunder; (b) The rights and remedies herein reserved to Company are cumulative and additional to any other rights and remedies provided at law or equity; (c) The official text of this Agreement is in the English language. If this Agreement is translated into another language, the English text will govern any question with respect to interpretation; (d) The headings in this Agreement are for convenience of reference only and do not affect the meaning of this Agreement in any manner.

#### DEFINITIONS.

Capitalized terms have the meanings set forth in this Section, or in the Section in which they first appear in this Agreement.

"Agreement" means these Allegion Terms and Conditions of Sale and Service, together with any applicable Country Supplement or Region Supplement provided by Company, and all of the documents referenced herein or therein.

"Affiliate" means any Person that directly or indirectly, through one or more intermediaries, controls, is controlled by, or is under common control with, the Company. The term "control" (including the terms "controlled by" and "under common control with") means the possession, directly or indirectly, of the power to direct or cause the direction of the management and policies of a Person, whether through the ownership of voting securities, by contract or otherwise.

"Business Day" means any day except Saturday, Sunday or any other day on which commercial banks located in the United States are authorized or required by Law to be closed for business.

"Company" means Schlage Lock Company, LLC or any subsidiary or affiliate thereof selling products that are part of the Allegion product portfolio. Schlage Lock Company and/or its subsidiary or affiliates will be severally but not jointly liable under the Agreement.

"Company Marks" refers to the Marks of Company.

"Confidential Information" shall mean any and all information provided by either party to the other party pertaining to the disclosing party's business. Confidential Information shall include, but not be limited to, any bitting lists, formulae for products, manufacturing processes, production techniques, packaging processes, methods, research materials, ideas, marketing plans and related materials, quality standards, test results and data, apparatus, engineering drawings, contract documents, computer software, hardware, or firmware, business activities information such as financial information, reports, projections, books and records, customer and supplier information, and operations, customer and supplier lists and data, specifications, hnow how, and other Proprietary Information or Trade Secrets (as defined herein) that either party may furnish to the other party. Confidential Information shall not include information that: (a) is or becomes publicly known if such public knowledge or disclosure is not the result of any act or failure to act on the part of the receiving party which is not to the Receiving Party without utilizing the Confidential Information (c) is information disclosure, already known to the Receiving Party without are a duty of confidential to biclosing party; or (d) is independently developed by the Receiving Party without the use of Confidential Information. The Receiving Party shall have the burden of proof as to prior knowledge and absence of breach. Confidential Information, specifications, graphs, prototypes, samples, or verbal communications and regardless of whether such information is marked or designated as "confidential." For the avoidance of doubt, all information, konwledge or other objects or material, provided by Company to Customer, and all information, supple, oral, visual or other form, including, without limitation, samples, or other objects or material, provided by Company to Customer, and all information, endeving party is a data disclosed by company to Customer, and all

"Content" means all information (including without limitation any text, music, sound, photographs, video, graphics, data or software), in any medium, on a particular Company Web page or Website or in Marketing Materials.

"Customer" means the purchaser of Deliverables from Company.

"Deliverables" means any good or service or both purchased by Customer from Company under these General Terms and Conditions of Sale and Service.

"End Users" means the purchaser that (a) has acquired a Deliverable from Customer for (i) its own and its Affiliate's/Affiliate's/Affiliates' internal use and not for resale, remarketing or distribution or (ii) incorporation into its own products and (b) is an individual or entity, other than any federal, state or local agency, office or division.

"IP" means all intellectual property and industrial property rights comprising or relating to/of the following: (a) Patents; (b) Trademarks; (c) internet domain names, whether or not Trademarks, registered by any authorized private registrar or Governmental Authority, web addresses, web pages, website and URLs; (d) works of authorship, expressions, designs and design registrations, whether or not copyrightable, including copyrights and copyrightable works, software and firmware, application programming interfaces, architecture, files, records, schematics, data, data files, and databases and other specifications and documentation; (e) Trade Secrets; and (f) all other intellectual property and industrial property rights, and all rights, interests and protections that are associated with, equivalent or similar to, or required for the exercise of, any of the foregoing, however arising, in each case whether registered or unregistered and including all registrations and applications for, and renewals or extensions of, such rights or forms of protection pursuant to the Laws of any jurisdiction throughout in any part of the world.

"Marketing Materials" means all marketing brochures, buckslips, pamphlets, emails, text, call scripts or other material, whether in printed format, audio or audiovisual format, or in any other format, that contain any (i) Content relating to the Company Deliverables or (ii) Company Marks.

"Marks" means collectively the domain names, trademarks, trade names, service marks, trade dress, logos, and the like used or provided by either party for use in connection with this Agreement.

"Patents" means all patents (including all reissues, divisionals, provisionals, continuations and continuations-in-part, re-examinations, renewals, substitutions and extensions thereof), patent applications, and other patent rights and any other Governmental Authority-issued indicia of invention ownership (including inventor's certificates, petty patents and patent utility models).

"Person" means a person or entity.

"Price Books" mean Company's current Price Book in effect for the applicable Deliverable being purchased by Customer.

"Trade Secrets" means and includes business or technical information of either party, including processes, formulas, devices, techniques, compilations and other material that a party attempts to maintain in secret and that derive commercial value for such party from not being generally known to the public or readily ascertainable through independent development or reverse engineering.

(rev. 03 2017)

SN

Series

RS

Pushbuttons

Specialty switches/

**Digital keypads** 

Touchbars/ Push plates

Emergency breaks/

Door cords

and buzzer switches

Specialty sensor

## Weight and case quantity chart

Series name	UPC	Case carton quantities	Case carton weight (lb)*	Product weight (lb)*
CS450 US32D	043156645893	14	30.9	2.20
CS450-LBM US32D	043156645909	14	30.9	2.20
CS750 US32D	043156645961	14	30.9	2.20
CS750-LBM US32D	043156645978	14	30.9	2.20
CSFP kit US10B	043156645916	50	28.7	0.57
CSLE-1	043156645947	200	22.0	0.11
CSLE-2	043156645954	100	19.8	0.20
CSW-100	043156651542	200	35.3	0.18
CSW-200	043156001637	200	35.3	0.18
CWFP kit US10B	043156645930	100	29.8	0.30
CWFP kit US32D	043156645923	100	29.8	0.30
DC-AL-20	043156651566	100	24.3	0.24
DC-BR-20	043156001651	100	24.3	0.24
DC-HD-16	043156651559	80	32.0	0.40
DC-PL-12	043156651573	200	30.2	0.15
DC-PL-20	043156651580	100	23.1	0.23
DKP-165	043156651634	50	19.8	0.40
DKP-165-FM DKP-165-S	043156651658	18 18	18.3 18.7	1.02
GB-100-G	043156651641	60	34.2	
EGB-100-G EGB-100-R	043156651597 043156651603	60	34.2	0.57
GB-COV	043156651605	100	6.6	0.07
GB-KEY	043156651610	500	14.3	0.03
EMS-100	043156651535	25	11.5	0.46
PB-100	043156651351	54	23.8	0.44
PB-100-N	043156001644	54	23.8	0.44
PB-300	043156651375	50	22.0	0.44
PB-300-N	043156651382	50	17.6	0.35
MFP50	043156646234	80	32.2	0.40
MFP63	043156646227	60	30.0	0.50
//G1200	043156646241	3	32.8	10.95
MG1200DT	043156646258	3	32.8	10.95
/IG600	043156646173	б	29.3	4.89
MG600DT	043156646180	б	29.8	4.96
MLBK1200	043156646289	30	33.1	1.10
MLBK600	043156646210	60	31.3	0.52
MPB-100	043156651405	50	18.1	0.36
MPB-100-N	043156651399	50	19.8	0.40
MS100 US32D	043156645985	14	33.1	2.36
MS100-F US32D	043156646074	14	35.3	2.52
MS100-F-LBM US32D	043156646081	14	35.3	2.52
MS100-LBM US32D	043156645992	14	33.1	2.36
MSFP kit US10B	043156646005	50	33.1	0.66
MUBK	043156646203	20	31.3	1.57
MZBK1200	043156646265	10	32.2	3.22
MZBK600	043156646197	17	31.1	1.83
PPH-100-AL	043156651429	20	37.5	1.87
PPH-100-PL	043156651412	20	25.4	1.27
PPH-200-LED	043156651443	20	26.5	1.32
PH-50	043156651450	50 10	24.3	0.49
RS200 US32D RS200 US10B	043156646029 043156646036	10	28.7	2.87 2.87
RS300 F US10B	043156001569	10	28.7	2.87
RS300 F US32D	043156001559	10	28.7	2.87
RS300 F 0552D	043156646067	10	28.7	2.87
RS300 US32D	043156646050	10	28.7	2.87
ГВ-36	043156651467	4	28.7	7.17
B-42	043156651474	4	30.9	7.72
B-48	043156651481	4	33.1	8.27
BR-100	043156651740	100	12.1	0.12
TS-100	043156651498	50	19.8	0.40
S-100-N	043156651504	50	19.8	0.40
VFP50	043156646128	75	33.1	0.44
WFP63	043156646135	50	26.5	0.53
WLBK1200	043156646166	10	32.5	3.25
WLBK600	043156646111	10	23.1	2.31
WMG1200	043156646142	3	33.1	11.02
WMG600	043156646098	6	33.1	5.51
WS-200	043156651511	30	12.1	0.40
WS-200-MB	043156651528	30	14.3	0.48
WZBK1200	043156646159	10	15.4	1.54

Door cords

#### **About Allegion**

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA<sup>®</sup>, Interflex<sup>®</sup>, LCN<sup>®</sup>, Schlage<sup>®</sup>, SimonsVoss<sup>®</sup> and Von Duprin<sup>®</sup>. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2.4 billion company, with products sold in almost 130 countries.

For more, visit **www.allegion.com** 

KRYPTONITE - LCN - SCHLAGE - STEELCRAFT - VON DUPRIN

