

# 5G108-BW5



UPC Code : 078477202951

Country Of Origin : United States

RoHS Compliant : Yes

GigaMax Cat 5e QuickPort Jack QuickPack, 25-pack, White

The GigaMax Category 5e UTP QuickPort Jack is designed to be used with any Category 5e UTP structured cabling system. The modular jack features a one-piece narrow design that supports high port density in a small area, and is ideal for use in residential, MDU, and high megabit applications.

## Technical Information

### Product Features

**Body Color** : White

**Brand** : GigaMax

**Cable Type** : 8-Conductor UTP Copper  
Cat 5, 5e and 6

**Category Rating** : Cat 5e

**Color** : White

**Connector Feature** : Channel-Rated

**Contact Base Material** : Phosphor  
Bronze

**Contact Sub-Surface Material** : 100  
microinches thick Nickel-Plated

**Contact Surface Material** : 50  
microinches thick Gold-Plated

**Flammability** : Rated V-0 per UL 94

**Module Style** : Connector

**Module Type** : Category 5e

**Ordering Notes** : Bulk Package of 25

**Packaging** : QuickPack 25/bag

**Position / Conductor** : 8P8C

**Shielding** : UTP

**Standards and Certifications** : TIA/EIA  
cULus Listed

**Termination Type** : 110 Punchdown

**Warranty** : 1 Year Limited

### Material Specifications

**Body Color** : White

**Body Material** : High-Impact Fire-  
Retardant Plastic

**Contact Base Material** : Phosphor  
Bronze

**Contact Sub-Surface Material** : 100  
microinches thick Nickel-Plated

**Contact Surface Material** : 50  
microinches thick Gold-Plated

### Mechanical Specifications

**Cable Type** : 8-Conductor UTP Copper  
Cat 5, 5e and 6

**Connector Feature** : Channel-Rated

**Position / Conductor** : 8P8C

**Product ID** : Permanently laser-  
engraved

**Style Name** : GigaMax

**Termination Type** : 110 Punchdown

**Wiring Standard** : T568A T568B

### Performance Specifications

**Module Type** : Category 5e

### Standards and Certifications

**ACA** : Compliant

**CSA** : Certified

**FCC** : Part 68 Compliant

**NEC** : Article 800 Compliant

**TIA/EIA** : TIA-568-B

**UL** : cULus Listed

## Features and Benefits

- Available in 13 colors
- Dual wiring code label allows connector to be wired to either T568A or T568B
- Individual port configurability allows specification flexibility
- Robust one-piece lead-frame design increases power-carrying capacity and efficiency, while providing improved durability
- Narrow connector allows high port density in a small area
- Will exceed IEEE 802.3bt standard up to 0.7 amps (140 watts) continuously
- Supports high-megabit and shared-sheath applications
- Available individually, in bulk packages of 25, and in bulk packages of 150 with a JackRapid™ Punchdown Tool

- IEEE 802.3bt PoE Type 1 (15.4 Watts) formerly 802.3af, Type 2 (30 Watts) formerly 802.3at, Type 3 (60 Watts), Type 4 (90 Watts)
- Cisco UPoE (60 Watts), UPoE+ (90 Watts)
- Power over HDBaseT™ PoH (95 Watts)
- UL 2043 Plenum Certified

## SPECIFICATION SUBMITTAL

JOB NAME: <input style="width: 95%;" type="text"/>	CATALOG NUMBERS: <input style="width: 60%;" type="text"/> <input style="width: 40%;" type="text"/>	
JOB NUMBER: <input style="width: 80%;" type="text"/>	<input style="width: 60%;" type="text"/>	<input style="width: 40%;" type="text"/>

**Leviton Manufacturing Co., Inc.**

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·

FAX: +1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-

1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

Visit our Website at: [www.leviton.com](http://www.leviton.com)

© 2021 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:

[www.leviton.com/international/contacts/](http://www.leviton.com/international/contacts/)

