

Date: May 12, 2022

Memo To: Axis Distribution Partners From: Axis Communications

Subject: Axis Communications announces AXIS M1135 Mk II and M1137 Mk II Fixed Box Cameras!

Axis Communications is pleased to announce the launch of AXIS M1135 Mk II and M1137 Mk II!

# **Pricing and Availability**

AXIS M1135 Mk II and M1137 Mk II are orderable now and will be externally launched in June. Please refrain from external marketing until the external launch date has passed.

Part No	Product Name	WMP*	EAN Code
02483-001	AXIS M1135 MK II	\$419.00	7331021078178
02485-001	AXIS M1135-E MK II	\$519.00	7331021078253
02484-001	AXIS M1137 MK II	\$499.00	7331021078215
02486-001	AXIS M1137-E MK II	\$599.00	7331021078277

## **Replacing Products**

Part No	Product Name	WMP*	Product Name	WMP*	Price Difference
01768-001	AXIS M1135	\$419.00	AXIS M1135 MK II	\$419.00	\$0.00
01772-001	AXIS M1135-E	\$519.00	AXIS M1135-E MK II	\$519.00	\$0.00
01769-001	AXIS M1137	\$499.00	AXIS M1137 MK II	\$499.00	\$0.00
01773-001	AXIS M1137-E	\$599.00	AXIS M1137-E MK II	\$599.00	\$0.00

# **Product Information**

AXIS M1135 Mk II 2MP affordable surveillance

AXIS M1135 Mk II is an affordable, compact box camera that's easy to install and operate. It supports PoE and redundant DC power to ensure your data is safeguarded in the event of a power outage. Featuring Axis Lightfinder and Axis Forensic WDR, it delivers true colors and great deta ils in challenging light or near darkness. The camera's CS-mount enables flexibility for exchangeable lenses. And a built-in microphone allows you to record video with sound. With AXIS Object Analytics preinstalled, it's possible to detect and classify humans and vehicles. Furthermore, Axis Zipstream with H.264/H.265 significantly lowers bandwidth and storage requirements.



# **Key Features**

- Compact and flexible design
- Lightfinder and Forensic WDR

<sup>\*</sup>Refers to Manufacturer's Suggested Retail Price (MSRP)

www.axis.com

<sup>\*\*</sup> COO/HTS/ECCN - subjected to change. Please refer to the disclaimers listed under Trade Compliance section on Partner pages

- · Built-in microphone for audio recording
- AXIS Object Analytics
- Support for i-CS lenses

#### **Product Information**

AXIS M1135-E Mk II Outdoor-ready 2 MP affordable surveillance

This affordable, outdoor-ready camera is easy to install and operate. Enclosed in an IP66-, IK10- and NEMA 4X-rated casing, it supports PoE and redundant DC power to ensure your data is safeguarded in the event of a power outage. Featuring Axis Lightfinder and Axis Forensic WDR, it delivers true colors and great details in challenging light or near darkness. Plus, audio input lets you record video with sound. The camera's CS-mount enables flexibility for exchangeable lenses. With AXIS Object Analytics preinstalled, it's possible to detect and classify humans and vehicles. Furthermore, Axis Zipstream with H.264/H.265 significantly lowers bandwidth and storage requirements.



### **Key Features**

- Compact and flexible design
- Lightfinder and Forensic WDR
- Audio input
- AXIS Object Analytics
- Support for i-CS lenses

# **Product Information**

AXIS M1137 Mk II 5 MP affordable surveillance

AXIS M1137 Mk II is an affordable, compact box camera that's easy to install and operate. It supports PoE and redundant DC power to ensure your data is safeguarded in the event of a power outage. Featuring Axis Lightfinder and Axis Forensic WDR, it delivers true colors and great details in challenging light or near darkness. The camera's CS-mount enables flexibility for exchangeable lenses. And a built-in microphone allows you to record video with sound. With AXIS Object Analytics preinstalled, it's possible to detect and classify humans and vehicles. Furthermore, Axis Zipstream with H.264/H.265 significantly lowers bandwidth and storage requirements.



## **Key Features**

- Compact and flexible design
- Lightfinder and Forensic WDR
- Built-in microphone for audio recording
- AXIS Object Analytics
- Support for i-CS lenses

<sup>\*</sup>Refers to Manufacturer's Suggested Retail Price (MSRP)

### **Product Information**

AXIS M1137-E Mk II Outdoor-ready 5 MP affordable surveillance

This affordable, outdoor-ready camera is easy to install and operate. With PoE and redundant DC power, it ensures your data is safeguarded in the event of a power outage. Featuring Axis Lightfinder and Axis Forensic WDR, it delivers true colors and great details in challenging light or near darkness. Plus, audio input lets you record video with sound. The camera's CS-mount enables flexibility for exchangeable lenses. Thanks to AXIS Object Analytics you can detect and classify humans and vehicl es. Furthermore, it comes enclosed in an IP66-, IK10-, and NEMA 4X-rated casing to protect against water, corrosion, dust, and impacts.



#### **Key Features**

- Compact and flexible design
- Lightfinder and Forensic WDR
- Audio input
- AXIS Object Analytics
- Support for i-CS lenses

## **Product Trade Information\*\***

Product Name	coo	HTS	ECCN
AXIS M1135 MK II	Poland	8525895050	EAR99
AXIS M1135-E MK II	Poland	8525895050	EAR99
AXIS M1137 MK II	Poland	8525895050	EAR99
AXIS M1137-E MK II	Poland	8525895050	EAR99

## **Pricelist Text**

# AXIS M1135 MK II

HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 3-10.5 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.

### AXIS M1135-E MK II

Outdoor, NEMA 4X, IP66 and IK10-rated, light weight HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 3-10.5 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan or power supply not included.

<sup>\*</sup>Refers to Manufacturer's Suggested Retail Price (MSRP)

www.axis.com

#### AXIS M1137 MK II

5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-13 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.

### AXIS M1137-E MK II

Outdoor, NEMA 4X, IP66 and IK10-rated, light weight 5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-13 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan or power supply not included.

## Weights & Dimensions

AXIS M1135 MK II Weight: 0.45 lbs.

Dimensions: 1.8" x 2.8" x 5.8"

AXIS M1135-E MK II Weight: 4.0 lbs.

Dimensions: 9.5" x 5.6" x 14.7"

AXIS M1137 MK II Weight: 0.55 lbs.

Dimensions:2.5" x 2.8" x 7.0"

AXIS M1137-E MK II Weight: 4.0 lbs.

Dimensions: 9.5" x 5.6" x 14.7"

### Warranty

These products are covered by a 5-year warranty, see <a href="www.axis.com/warranty">www.axis.com/warranty</a>.

This product is UL certified.

Please feel free to contact your Axis Distribution Analyst or <u>Americas-Operations@axis.com</u> with any questions.

All items sold or shipped from the US to another country, including Canada, are subject to US export controls. If you have any questions, please contact: <a href="mailto:na-exportcompliance@axis.com">na-exportcompliance@axis.com</a> and we will assist you.

<sup>\*</sup>Refers to Manufacturer's Suggested Retail Price (MSRP)