


HDA-VP5M15-3.6

5MP 4-IN-1 (TVI/AHD/CVI/960H) Vandal Dome Camera



Specifications

Model	HDA-VP5M15
Camera	
Image Sensor	1/2.5" Aptina 5.1MP Progressive Scan CMOS
Video Format	NTSC/PAL
Effective Pixels	2592(H)×1944(V)
Electronic Shutter	PAL:1/50s~1/100,000s, NTSC:1/60s~1/100,000s
Min. Illumination	0.01Lux @ F1.2, 0Lux (IR on)
Lens	3.6mm
View Angle	Horizontal Field view:80°
S/N Ratio	≤52dB (AGC Off)
White Balance	Auto (Range 2500~8500K)/ Manual
WDR	DWDR
AGC	Auto
BLC	Auto/ Manual
DNR	2D
Image	
Video Output	HD TVI / AHD / CVI/ CVBS
Resolution	5MP/ 4MP
Video Frame Rate	NTSC: 5MP@20FPS/ 4MP@30FPS; PAL: 5MP@12.5FPS, 4MP@25FPS
Image Setting	Brightness, Contrast, Sharpness, DNR, Color gain, exposure, mode etc.
Image Mirror	Support
Functions	
OSD Menu	Yes
COC Control	Yes
Day & Night	Auto / Color / BW / EXT
IR LED	15PCS Ø5
IR Distance	49ft (15m)
Protection	IP66
Others	
Power supply	DC12V±10%
power consumption	85mA (IR Off), 250mA (IR On)
Working Environment	14F ~ 113F (- 10C ~+45C)
Dimension	4.1" x 3.1" (105 X 80mm)
Weight	0.73Lbs (0.33KG)

Key Features

- Adopt 1/2.5" Aptina 5.1MP Progressive Scan CMOS
- Support HD TVI/AHD/CVI CVBS
- Support OSD Menu, COC Control
- Support NTSC/PAL
- High-speed & Long-distance Real Time Transmission
- ICR auto switches between Day & Nigth time
- Different Mode(HD TVI / AHD / CVI/ CVBS) Switch by Dip Switch

Dimensions

