

1000 Series Knob Pushbutton Locks

Kaba Simplex

This series is ideal for limiting access in high-traffic areas. Two access control functions are available in addition to standard combination access control:

- **Key Override:** Allows a facility to maintain or initiate a keyed-alike security system with the same key system already in use. The key is normally only in the hands of security or management personnel and will override the lock's combination to gain entry.
- **Passage Feature:** Allows access without using the entry code (keeps the door unlocked even while closed). This function is on the inside of the door, and can be activated by either a thumbturn or a key (Thumbturn and key included with all passage feature models).

SPECIFICATIONS:


- Heavy duty cylindrical lock housing conforms to ANSI 156.2 Grade 1 & DOD 5220.22M.
- Door thickness: 1-3/8" to 2-1/4".
- Handing: all 1000 Series locksets are factory prepared for left hand doors. Hand is field reversible.
- Minimum stile required for mounting: 5" (127mm).
- Dimensions: front housing - 7-3/8"L x 3-1/8"W x 3-13/16"D.
- Latch/Backset: UL/ULC 3-hour rated 1/2" (16mm) throw latch bolt with 2-3/4" backset and floating face-plate.



1031 & 1041

Thumbturn or Key Operated Passage Adapter

**KABA
SIMPLEX®**



EE1011/EE1011

Combination entry both sides

Kaba Simplex

Combination Entry Only			
Mfg #	Function	Finish	EZ #
1011 03 41	Standard	Polished Brass	064122
1011 26D 41	Standard	Satin Chrome	013258
EE1011/EE1011 26D 41	Combination Both Sides	Satin Chrome	037150
1031 26D 41	With Passage	Satin Chrome	013267

Combination Entry with Key Override (Cores not Included) (All Stocked in Satin Chrome)			
Mfg #	Core Type	Function	EZ #
1021B 26D 41	Best TypeL	Key Override	013265
1021C 26D 41	Corbin	Key Override	030290
1021M 26D 41	Medeco/Assa/Yale	Key Override	027603
1021R 26D 41	Sargent	Key Override	028244
1021S 26D 41	Schlage	Key Override	013263
1041S26D41	Schlage	Key Override with Passage	071922



1021

1011

ORDERING INFORMATION

Key override models accept removable core cylinders. Removable core cylinders not supplied with lock.

Model	Description	Product #	Key Override	Model	Description	Product #	Key Override
1011 	Exterior access by combination. Egress by interior knob.	1011-*-41	N/A	1031 	Exterior access by combination or passage feature. Interior has passage feature (thumbturn & key). Egress by interior knob.	1031-*-41	N/A
1021 	Exterior access by combination or key override. Egress by interior knob.	1021B-*-41 1021C-*-41 1021M-*-41 1021R-*-41 1021S-*-41	Best & Compatible Corbin/Russwin Medeco/Yale Sargent Schlage	1041 	Exterior access by key combination, key override, or passage feature. Interior has passage feature. (thumbturn & key) Egress by interior knob.	1021S-*-41	Schlage

* Substitute the *- with one of the following finishes; 03-Polished Brass, 26D-Satin chrome



- Designed for high frequency use, wherever limited access is required.
- Complies with handicapped and fire codes.
- Easy installation: new inside trim plate adds to the ease of installation and aesthetic appeal.

- One Hand Operation: Depress the correct buttons in the proper sequence and push the lever downwards to retract the fire-rated, UL listed deadlocking latch.

Kaba Simplex

Mfg #	Finish	Hand	Function	EZ #
Standard Lever Access Control				
LL1011 03 41	Polished Brass	Left	Standard	064124
LL1011 26D41	Satin Chrome	Left	Standard	013228
LR1011 26D41	Satin Chrome	Right	Standard	013229
LL1031 26D	Satin Chrome	Left	Passage	069024
LR1031 26D	Satin Chrome	Right	Passage	069025
Best Interchangeable Core Key Override				
LL1021B26D	Satin Chrome	Left	Key Override	013234
LR1021B26D	Satin Chrome	Right	Key Override	013235
Corbin Interchangeable Core Key Override				
LL1021C26D41	Satin Chrome	Left	Key Override	029405
LR1021C26D41	Satin Chrome	Right	Key Override	029406
Medeco/Assa/Yale Interchangeable Core Key Override				
LL1021M26D41	Satin Chrome	Left	Key Override	046296
LR1021M26D41	Satin Chrome	Right	Key Override	046297
Sargent Interchangeable Core Key Override				
LL1021R26D41	Satin Chrome	Left	Key Override	029528
LR1021R26D41	Satin Chrome	Right	Key Override	064274
Schlage Interchangeable Core Override				
LL1021S26D	Satin Chrome	Left	Key Override	013230
LR1021S26D	Satin Chrome	Right	Key Override	013231



LL1011 26D41



Passage Set Option

The key cylinder (A) shown is the standard control for changing combinations on the Unican Series 1000 & L1000. The optional passage set (B) shown below the key cylinder, allows the lock to be opened without using the push-button combination. This is valuable when a door is to be left unlocked for extended periods. The optional passage set comes ordered with a thumbturn activator, as shown, or with a key cylinder activator.

ORDERING INFORMATION

Key override models accept removable core cylinders. Removable core cylinders not supplied with lock.

Model	Description	Product No.	Key Override	Model	Description	Product #	Key Override
L1011 	Exterior access by combination. Egress by interior lever.	(LR/LL)1011-*-41	N/A	L1031 	Exterior access by combination or passage feature. Interior has passage feature (thumbturn & key). Egress by interior lever.	(LR/LL)1031-*-41	N/A
L1021 	Exterior access by combination or key override. Egress by interior lever.	(LR/LL)1021B-*-41 (LR/LL)1021C-*-41 (LR/LL)1021M-*-41 (LR/LL)1021R-*-41 (LR/LL)1021S-*-41	Best & Compatible Corbin/Ruswin Medeco/Yale Sargent Schlage	L1041 	Exterior access by key combination, key override, or passage feature. Interior has passage feature. (thumbturn & key) Egress by interior lever.	(LR/LL)1021M-*-41	Medeco & Yale

* Substitute the *- with one of the following finishes; 03-Polished Brass, 26D-Satin Chrome


LP1000 Series Push Button Lever Exit Device Control



- Replaces key cylinder on new or existing surface mounted exit devices.
- Can be used with a variety of manufacturer's rim mounted exit devices (See Kaba web site).
- Exit device not included with unit.
- 2-3/4" long tailpiece to operate exit device from the outside.
- Installation may require recessing LP1000 thru-bolts.
- Up to 60° hub rotation, counterclockwise for left hand and clockwise for right hand
- Exit device may be "dogged".
- Door thickness: 1-3/8" to 2-1/4"
- Front housing: 7-1/2" x 3-1/8"
- All stocked in Satin Chrome.



LRP1010 26D41



Mfg #	Hand	Core Type	EZ #
LLP1010 26D41	LH	None	075801
LRP1010 26D41	RH	None	075802
LLP1020B26D41	LH	Best	013226
LRP1020B26D41	RH	Best	029111
LLP1020M26D41	LH	Medeco/Assa/Yale	067568
LRP1020M26D41	RH	Medeco/Assa/Yale	071969
LLP1020S26D41	LH	Schlage	067032
LRP1020S26D41	RH	Schlage	067028

Kaba Simplex

2015 Exit Device Control



- Designed to operate surface-mounted exit devices from the outside.
- Replaces the key cylinder on a new or existing exit device.
- Exit device and handle not included.
- Key is used for access to change combination only.
- Door thickness: 1-3/8" to 2-1/2".
- Minimum backset required: 1-9/16".
- Dimensions: 8-3/4" x 3-1/8".
- 2-3/4" long tailpiece to operate surface mounted exit devices from the outside.
- Exit device can have up to 90° clockwise rotation.
- Cannot be used with surface-mounted Exit Devices with counterclockwise rotating hubs, with thumb-operated Mortise design Exit Devices, or most vertical rod Exit Devices devices.

Mfg #	EZ #
2015 26D41	013278

3000 Series Narrow Stile



Right Hand Reverse Shown

Operates with Adams Rite 4500 and 4900 series latches. As a true Day/Night control, the Series 3000 integrates with the existing key cylinder. The Series 3000 consists of a lock housing and one of four drive assemblies (sold separately).

- Allows key bypass for management.
- Latch hold-back function allows pedestrian entry as required.
- Combination code can be locked out preventing all entry except by key.
- Supplied with cylinder guard.

Lock Housing		
Mfg #	Finish	EZ #
3002 55 41	Duronodic	037160
3002 26D 41	Satin Chrome	037159

Drive Assemblies			
Mfg #	Hand	Backset	EZ #
3010 19 41	RH/RHRB	31/32"	013295
3020 19 41	LH/LHRB	31/32"	013298
3030 19 41	RH/RHRB	1-1/8"	013301
3040 19 41	LH/LHRB	1-1/8"	013304

Kaba Simplex 5000, 7100, & 6204 Pushbutton Locks

Kaba Simplex

**KABA
SIMPLEX®**



5000 Series Extra Heavy Duty Pushbutton Lock

The 5000 series lock provides fully mechanical pushbutton access control without any wiring, electronics or batteries. Exterior access is by combination. Egress is by interior lever and is free at all times. Lock is Handicap compliant. The 5000 is ideal for controlling access to high traffic, security sensitive areas in a commercial, industrial, educational, governmental, lodging, and multi unit residential setting. Perfect for locations with a high user turnover rate such as data processing centers, employee entrances, R&D labs, apart-

ments, dormitories, and restricted areas in hospitals and airports.

Features

- Keyless Convenience; thousands of possible combinations
- Non-handed lever: for both left and right hand applications.
- One handed operation. Short lever travel distance with an ergonomically correct design. Latch retracts when lever is turned in either direction
- Mechanical key override: Allows facility to maintain existing keying system, cylinder included.

Tailpieces included for compatibility with Abloy 5277, Abloy 5477, Arrow C 100, ASSA 65611, ASSA 65691, Kaba Ilco 15995, Kaba Ilco 15395, LSDA C500, Marks, Medeco 20W200H1, Sargent 10 Line, Schlage 23-001, Schlage Primus 20-760, & others

- Direct drive design results in fewer moving internal parts
- Door Thickness: 1-3/8" to 2-1/4". Preset for 1-5/8" to 2"
- Stocked in Satin Chrome

Mfg #	Keyway	EZ #
5021XK WL26D41	Kaba 90	076741
5021XS WL26D41	Schlage SC1	084225



7100 Series Auxiliary Locks

- Compact, stylish, secure.
- Convenient auxiliary lock protection for both residential and commercial applications.
- New 7100 series now cover 2-1/8" holes
- For doors 1-3/8 to 2-1/4".

MODEL 7102 & 7108

1" Tubular Deadbolt

- Saw-resistant hardened steel insert.
- Ideal for front and rear residential/commercial doors.

MODEL 7104

1/2" Deadlocking Latch

- Automatically relocks each time door closes.
- Perfect for storage areas, offices, etc.

Mfg #	Finish	Backset	EZ #
Deadbolt			
7102 03 41	Polished Brass	2-3/4"	085075
7102 26D 41	Satin Chrome	2-3/4"	085076
7108 03 41	Polished Brass	2-3/8"	085079
7108 26D 41	Satin Chrome	2-3/8"	085080
Deadlatch			
7104 03 41	Polished Brass	Adjustable	085077
7104 26D 41	Satin Chrome	Adjustable	085078



6204 Series Latch Locks

Mfg #	Finish	EZ #
6204 60 41	Gold	073808
6204 86 41	Grey	074195

- All metal construction; cast front housing; cast or wrought brass knobs.
- Front housing: 5-7/8"L x 2-3/4"W x 2-9/16"D.
- Door thickness: 1-3/8" to 2-1/4"
- Backset: 2 3/4"
- ASA 160 & 161 door preparation.
- Textured powder coat finishes provide increased weather resistance.

LD450 & LD470 Series Residential Latch Locks



- Cost effective access control solution for a single code
- Constructed with a solid cast housing with cast knob or lever.
- Minimum stile required is 3-1/2"
- Supplied with 1/2" latch
- Lever is easily reversed in the field from supplied RH to LH
- Vandal resistant metal push buttons

Mfg #	Type	Finish	Backset	EZ #
LD451 3 5 03 41	Knob	Polished Brass	2-3/8"	091459
LD451 3 5 32D41	Knob	Satin Stainless	2-3/8"	091458
LD452 3 5 03 41	Knob	Polished Brass	2-3/4"	091462
LD452 3 5 32D41	Knob	Satin Stainless	2-3/4"	091461
LD471 4 8 03 41	Lever	Polished Brass	2-3/8"	091465
LD471 4 8 32D41	Lever	Satin Stainless	2-3/8"	091464
LD472 4 8 03 41	Lever	Polished Brass	2-3/4"	091468
LD472 4 8 32D41	Lever	Satin Stainless	2-3/4"	091467

Kaba Simplex

Rim Mounted Deadlock & Deadlatch

- For wood or metal doors
- Non handed
- Wear-tested for equivalent of 30 years of intensive use.
- Dimensions: 4"W x 5"H
- For doors 1-3/4 to 2-1/8"
- Stocked in Satin Chrome

Mfg #	Type	EZ #
9040000 26D41	Deadlock with 1" Bolt	013272
9190000 26D41	Deadlocking Spring Latch	013276



904 Deadlock
Stocked in Satin Chrome

9602 Cabinet Lock

Pushbutton cabinet locks offer convenience, security and safety for a variety of applications including, but not limited to cabinets, lockers, desk drawers, gun safes, wall safes, liquor cabinets, tool boxes and anywhere a cam lock is used.

- For wood doors.
- For 5/8" to 7/8" door thickness.
- For cabinet doors, desk drawers, and many other uses.
- End-throw spring latch with automatic re-lock
- Supplied with Elbow catch

Mfg #	Finish	EZ #
C9602 26D 41	Satin Chrome	037163



C9602 Latch Mechanism

**KABA®
SIMPLEX®**

Service Repair Kits & Spy Shield



For 1000 & EE1000 Units

Mfg #	EZ #
201600 19 41	037156

Service Kits			
Mfg #	Series	Hand	EZ #
203035 000 01	1000 Knobs	N/A	075500
203037 000 01	L1000 Levers	RH	075501
203038 000 01	L1000 Levers	LH	075502
203039 000 01	LP1000 Levers	RH	075503
203040 000 01	LP1000 Levers	LH	075504

These repair kits have almost everything you need to completely repair a Unicam mechanical lockset in the field, including chamber, springs, and other parts.



1000 Series




L1000 Series

Pushbutton Service Parts


Mfg #	Illustration	Description	Series	EZ #
Clutch Assemblies & Parts				
201016 000 01		Clutch Balance & Double Wave Spring (Not Shown)	1000, EE1000	037174
201304 045 01		Clutch Backing Plate	1000	037193
201430 000 01		Clutch Assembly	1000 not EE1000	013285
201788 000 01		Clutch Assembly	L1000 RH	050153
201789 000 01	As Above	Clutch Assembly	L1000 LH	046318
Combination Chambers				
74660 000 01		Chamber	7000, 7100	037232

Mfg #	Illustration	Description	Series	EZ #
Combination Chambers (Continued)				
74241 000 01		Chamber includes lock in plate, stop arm, control shaft sleeve, drive hub, & set screws	2015	061872
74366 000 01		Chamber	1000, L1000, EE1000, 3000	013310
74459 000 01		Chamber includes stop arm & sleeve control shaft	2000	037207
74832 000 01		Chamber	5000	084666
Drive & Shaft Assemblies				
201050 045 01		Inside Shaft Assembly (Not Override)	1000	037179
201436 000 10		Cross Pin Shaft (Obsolete)		037210

Mfg #	Illustration	Description	Series	EZ #
Drive & Shaft Assemblies (Continued)				
201547 045 01		Key Override Shaft Assembly	1000	037183
Knob/Lever & Parts				
20104000001		Outside Knob Return Spring & Stop Plate Assembly	1000	090922
201278 018 01		Installation Spanner Wrench with DF59 Change Key	1000, L1000, 3000, 6200,	037187
201343 045 15		Front Knob & Lever Retainer Clip	1000, L1000	037196
201730 000 01		Inside Lever Return Spring	LR1000 (Right Hand)	013289
201732 000 01	As Above	Inside Lever Return Spring	LL1000 (Left Hand)	013290
201733 000 01		Inside Lever Fixed Sleeve, Includes Return Spring & Retainer Clip	LL1000 (Left Hand)	090357
201773 000 01		RH Outside Lever Return Spring	L1000	087369
201774 000 01		LH Version		087370
74 1		Inside Knob Retainer Clip	1000, L1000, 6200	077884
204169 26D 01		Inside Knob Threaded Ring	1000, L1000, 6200	037188

Parts Continued



Mfg #	Illustration	Description	Series	EZ #
Knob/Lever & Parts (Continued)				
34264 26D 01		Standard Knob (Not Override), Includes spacer	1000 Inside & Outside, 6200 Inside	037190
Latches & Bolts, & Tailpieces				
201144 26D01		2-3/4" Backset 3/4" Throw Anti Friction Latch	1000, L1000, 5000	013283
202003 03 41		2-3/4" Backset Latch	7004	037233
202052 03 41		2-3/4" Bolt	7002, 7102	065422
202064 03 41	As above but 2-3/8"	2-3/8" Bolt	7008, 7108	037234
204168 26D01		2-3/4" Backset 1/2" Throw Standard Latch	1000, L1000, 5000	077341
54444 26D01		Adjustable 2-3/8 & 2-3.4" Latch	7104	084224
64769 000 01		Tailpiece Kit for Latch & Deadbolt	7000 & 7100	066333
Passage				
201825 000 01		Passage Chamber Release Kit		037198
201440 000 15		Retainer Ring for Chamber Release Kit & Combination Change Sleeve	1000, L1000, 2000, 5000	037213

Kaba Simplex