

WSP20-9D0

LevNet RF 902 MHz Line Voltage Relay Receiver, 100-277V, 50/60 Hz

Levnet RF Wireless 20A Relay Power Pack, Switching, 1/2" Threaded Nipple, 100-277V, 50/60Hz, 902MHz, EnOcean, Title 24 compliant, ASHRAE 90.1 compliant

The LevNet RF[™] 902 MHz Line Voltage Receiver receives signals from LevNet RF self-powered sensors, switches, and other transmitters to control lighting, and other devices or loads. Self-powered RF technologies eliminate control switch-legwiring, making them an ideal solution for retrofits and new construction. Installation is quick and easy and the receiver mounts with no additional wiring required. The line voltage receiver is used to control larger lighting loads or groups and motor loads such as fans, pumps and gates. The receiver includes isolated contacts that can switch power from a different circuit. Simply install the receiver at the load location and install as many as 25 wireless transmitters anywhere within range. LevNet RF single channel relay receivers allow lights and fans to be controlled by LevNet RF switches and sensors. The line voltage receiver helps simplify advanced wireless lighting control. The LevNet RF line includes multiple products that operate in the uncrowded 902 MHz radio frequency (RF) band, offering greater transmission range (50-150') than other RF technologies with minimal competitive traffic.

Technical Information

Product Features Color : White Product Line : LevNet RF Product Type : Line Voltage Receiver Protocol : 902 MHz EnOcean

Features and Benefits

- Power consumption save 70% over other wireless technologies
- Long range with a 50-150' range, LevNet RF provides the longest reliable range in the industry
- Easy-to-use programs in seconds; run zero switch-leg or traveler wires
- Increased memory each unit stores up to 25 transmitter IDs; error checking ensures the receiver only responds to appropriate transmitters on all packet transfers
- Save energy teach the receiver to respond to a LevNet RF sensor or teach all lights to respond to a single master switch
- Control the way you want it control the receiver with a variety of devices wireless self-powered switches, sensors and more
- Simple wireless controls single-pole, 3-way, and 4-way switches; architectural lighting control- motor control, manual-ON/OFF and auto-OFF controls
- Built-in repeater repeats wireless signals received for extended range, flexibility and reliability

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		



UPC Code : 078477713594 Country Of Origin : United States

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747 Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 · FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2021 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

