

NUVICO®

HYDRA HD™ Weatherproof Bullet HC-B31



Key Features

- 45pps @1080P over RG59 cable & Cat5e
- HD video over coax cable up to 1500ft
- 3 ~ 10mm, vari-focal lens
- Day/Night functionality with ICR
- 30 IR LEDs (Up to 100ft.)
- Back Light Compensation: BLC
- Digital WDR
- Built-in PoE / 12VDC
- Built-in web server for resolution, bit-rate adjustment

Construction

- 3-Axis Aluminum Bracket (Wire Feed-through)
- Weatherproof - IP 66

Clearly Better



Smart IR LEDs Has Got You Covered

Tired of “hotspots” or too much IR reflection? Our new bullet camer has got you covered - Smart IR LEDs.

All our bullet cameras come equipped with Smart IR LED technology that detects too much IR reflection and automatically compensates.

Technical Specification

HYDRA HD™ VF Lens Weatherproof Bullet	HC-B31
Resolution	1080P over Coax & Cat5e
Image Sensor	1/3" CMOS
Day/Night Functionality	Yes w/ ICR
Lens Type	2.8 ~ 11 mm VF Lens
Angle of View	93° (W) ~ 31.7° (T)
IR LEDs	36
IR LEDs Distance	Up to 100ft.
LEDs Illumination Angle	80°
Video Compression	H.264 / MJPEG
Frame Rate	45pps @1080P
Electronic Shutter	1/30 ~ 1/20,000 sec.
Minimum Illumination	0.8 Lux (Color), 0.0 Lux (B/W)
Power Over Ethernet (PoE)	IEEE 802.3af compliant
General Information	HC-B31
Operating Temperature	-20°F ~ 122°F
Operating Humidity	Within 90% RH
Power Consumption	Up to 14W / 1A
Input Voltage	POE & 12VDC

*Specifications are subject to change without any prior notice.

Upgrade Analog to HD Using Existing Coax Cable

HYDRA HD™ delivers 1080p HD video to end users with existing coax up to 1500ft without any updates or changes to their existing infrastructure; if their cabling was enough to transmit a standard definition picture, then HYDRA HD™ is supported!



Dimensions (Inch:mm)

