








Standard trim

	EO	DT	NL	NL-OP
				
<b>Product description</b>	22EO	22DT	22NL	22NL-OP
<b>Trim description</b>	—	210DT*	210NL*	110NL-MD* 110NL-WD*
<b>Escutcheon plate size</b>	—	5 <sup>3</sup> / <sub>8</sub> " x 4 <sup>25</sup> / <sub>32</sub> " x 3 <sup>3</sup> / <sub>32</sub> " (137 x 121 x 2 mm)	5 <sup>3</sup> / <sub>8</sub> " x 4 <sup>25</sup> / <sub>32</sub> " x 3 <sup>3</sup> / <sub>32</sub> " (137 x 121 x 2 mm)	—
<b>Pull center to center</b>	—	—	—	—
<b>Projection</b>	—	1 <sup>31</sup> / <sub>32</sub> " (42 mm)	1 <sup>31</sup> / <sub>32</sub> " (42 mm)	—
<b>ANSI function</b>	01	02	03	03
<b>Cylinder type</b>	—	—	Rim	Rim
<b>Handing</b>	—	—	—	—
<b>Optional trim</b>	230EO	230DT	230NL	—
<b>Optional #425 sex bolt quantity for device</b>	6 (with no trim) 2 (with EO trim)	2	2	6

\*ANSI/BHMA A156.3 (2001) Grade 1 trim

	TP	K	L
			
<b>Product description</b>	22TP	22K	22L
<b>Trim description</b>	230TP*	210K	230L*
<b>Escutcheon plate size</b>	3" x 12 <sup>1</sup> / <sub>16</sub> " x 3 <sup>3</sup> / <sub>32</sub> " (76 x 306 x 2 mm)	3" x 4 <sup>25</sup> / <sub>32</sub> " x 3 <sup>3</sup> / <sub>32</sub> " (76 x 121 x 2 mm)	3" x 6 <sup>3</sup> / <sub>8</sub> " x 1 <sup>5</sup> / <sub>16</sub> " (76 x 162 x 24 mm)
<b>Pull center to center</b>	5 <sup>1</sup> / <sub>2</sub> " (140 mm)	—	—
<b>Projection</b>	2" (51 mm)	2 <sup>15</sup> / <sub>16</sub> " (75 mm)	2 <sup>5</sup> / <sub>8</sub> " (67 mm)
<b>ANSI function</b>	05	08	08
<b>Cylinder type</b>	1 <sup>1</sup> / <sub>4</sub> " Mortise	Furnished	1 <sup>1</sup> / <sub>4</sub> " Mortise
<b>Handing</b>	—	—	—
<b>Optional trim</b>	230TP-BE	210K-BE	230L-BE
<b>Optional #425 sex bolt quantity for device</b>	2	2	2

\*ANSI/BHMA A156.3 (2008) Grade 1 trim